Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - United Kingdom: Northern Ireland

# **SAFETY DATA SHEET**



**AKU DE LUXE 55** 

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: AKU DE LUXE 55

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Lacquers.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

#### responsible for this SDS National contact

Teknos Ireland Limited, 52 Ballymoughan Road, Magherafelt, BT45 6HN, UK. Tel. +44 (0) 2879 301 472.

#### 1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : NHS: 111

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
Prevention	1	Not applicable.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	1	Not applicable.
Supplemental label elements	:	Contains triisobutyl phosphate, adipohydrazide, 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Contains biocidal products for in-can preservation: BIT and Bronopol and C(M)IT/MIT (3:1).
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	

# **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

.2 Mixtures	: Mixture			Specific Conc.	
Product/ingredient name	Identifiers	%	Classification	Limits, M-factors and ATEs	Туре
-Methoxy 2-propanol	REACH #: 01-2119457435-35 EC: 203-539-1 CAS: 107-98-2 Index: 603-064-00-3	≤3	Flam. Liq. 3, H226 STOT SE 3, H336	-	[1] [2]
Polyether modified risiloxane	CAS: 27306-78-1	≤1	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	ATE [Oral] = 500 mg/kg ATE [Inhalation (vapours)] = 11 mg/ I	[1]
riisobutyl phosphate	REACH #: 01-2119957118-32 EC: 204-798-3 CAS: 126-71-6	<1	Skin Sens. 1B, H317	-	[1] [2]
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	≤0.3	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
I,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
eaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] 3:1)	EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	≤0.0014	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
ate of issue/Date of revision	: 13/02/2025 Date	e of previous i	ssue : 30/06/2022	Version : 2	2/17

# SECTION 3: Composition/information on ingredients See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

4.1 Description of first aid measures			
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.		
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>		
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

#### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms				
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

#### 5.3 Advice for firefighters

Date of issue/Date of revision	: 13/02/2025	Date of previous issue	: 30/06/2022	Version	:2	3/17
AKU DE LUXE 55				Label No	<mark>39</mark> 08	1

# **SECTION 5: Firefighting measures**

Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	intainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations

: Not available.

Date of issue/Date of revision AKU DE LUXE 55 : 13/02/2025 Date of previous issue

: 30/06/2022

# **SECTION 7: Handling and storage**

Industrial sector specific : Not available. solutions

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
✓Methoxy 2-propanol	EH40/2005 WELs (United Kingdom (UK), 1/2020) Absorbed
	through skin.
	STEL 15 minutes: 560 mg/m <sup>3</sup> .
	STEL 15 minutes: 150 ppm.
	TWA 8 hours: 375 mg/m <sup>3</sup> .
	TWA 8 hours: 100 ppm.
triisobutyl phosphate	EH40/2005 WELs (United Kingdom (UK), 1/2020) [tributyl
	phosphate, all isomers]
	STEL 15 minutes: 5 mg/m <sup>3</sup> .
	TWA 8 hours: 5 mg/m <sup>3</sup> .

#### **Biological exposure indices**

Product/ingredient	name	Exposure indices
No exposure indices known.		
Recommended monitoring : procedures	European Stand assessment of e values and meas atmospheres - G of exposure to cl (Workplace atmos for the measurer	d be made to monitoring standards, such as the following: ard EN 689 (Workplace atmospheres - Guidance for the xposure by inhalation to chemical agents for comparison with limit surement strategy) European Standard EN 14042 (Workplace Suide for the application and use of procedures for the assessment hemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance hethods for the determination of hazardous substances will also be
DNELs/DMELs		
Product/ingredient name		Result
✓Methoxy 2-propanol		<b>DNEL - General population - Long term - Oral</b> 33 mg/kg bw/day <u>Effects</u> : Systemic
		<b>DNEL - General population - Long term - Inhalation</b> 43.9 mg/m <sup>3</sup> <u>Effects</u> : Systemic
		<b>DNEL - General population - Long term - Dermal</b> 78 mg/kg bw/day <u>Effects</u> : Systemic
		<b>DNEL - Workers - Long term - Dermal</b> 183 mg/kg bw/day <u>Effects</u> : Systemic
		<b>DNEL - Workers - Long term - Inhalation</b> 369 mg/m³ <u>Effects</u> : Systemic
		<b>DNEL - Workers - Short term - Inhalation</b> 553.5 mg/m³ <u>Effects</u> : Local

SECTION 8: Exposure controls/personal protection					
	DNEL - Workers - Short term - Inhalation 553.5 mg/m³ <u>Effects</u> : Systemic				
triisobutyl phosphate	<b>DNEL - General population - Long term - Oral</b> 2.13 mg/kg bw/day <u>Effects</u> : Systemic				
	<b>DNEL - General population - Long term - Dermal</b> 2.13 mg/kg bw/day <u>Effects</u> : Systemic				
	<b>DNEL - Workers - Long term - Dermal</b> 4.25 mg/kg bw/day <u>Effects</u> : Systemic				
	<b>DNEL - General population - Long term - Inhalation</b> 8.89 mg/m <sup>3</sup> <u>Effects</u> : Systemic				
	<b>DNEL - Workers - Long term - Inhalation</b> 50 mg/m³ <u>Effects</u> : Systemic				
adipohydrazide	<b>DNEL - Workers - Long term - Inhalation</b> 17.5 mg/m <sup>3</sup> <u>Effects</u> : Systemic				
1,2-benzisothiazol-3(2H)-one	<b>DNEL - General population - Long term - Dermal</b> 0.345 mg/kg bw/day <u>Effects</u> : Systemic				
	<b>DNEL - Workers - Long term - Dermal</b> 0.966 mg/kg bw/day <u>Effects</u> : Systemic				
	<b>DNEL - General population - Long term - Inhalation</b> 1.2 mg/m <sup>3</sup> <u>Effects</u> : Systemic				
	<b>DNEL - Workers - Long term - Inhalation</b> 6.81 mg/m <sup>3</sup> <u>Effects</u> : Systemic				
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	DNEL - General population - Long term - Inhalation 0.02 mg/m <sup>3</sup> <u>Effects</u> : Local				
	<b>DNEL - Workers - Long term - Inhalation</b> 0.02 mg/m³ <u>Effects</u> : Local				
	<b>DNEL - General population - Short term - Inhalation</b> 0.04 mg/m <sup>3</sup> <u>Effects</u> : Local				
	<b>DNEL - Workers - Short term - Inhalation</b> 0.04 mg/m³ <u>Effects</u> : Local				
	<b>DNEL - General population - Long term - Oral</b> 0.09 mg/kg bw/day <u>Effects</u> : Systemic				
	DNEL - General population - Short term - Oral				

: 13/02/2025 Date of previous issue : 30/06/2022

0.11 mg/kg bw/day Effects: Systemic

#### **PNECs**

Not available.

8.2 Exposure controls		
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to contaminants.	airborne
Individual protection measured	<u>s</u>	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical produc before eating, smoking and using the lavatory and at the end of the working Appropriate techniques should be used to remove potentially contaminated Wash contaminated clothing before reusing. Ensure that eyewash stations safety showers are close to the workstation location.	g period. clothing.
Eye/face protection	Safety eyewear complying with an approved standard should be used wher assessment indicates this is necessary to avoid exposure to liquid splashes gases or dusts. If contact is possible, the following protection should be we unless the assessment indicates a higher degree of protection: safety glas side-shields.	s, mists, orn,
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standar be worn at all times when handling chemical products if a risk assessment this is necessary.	
	Recommendations : Wear suitable gloves tested to EN374.	
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm	
	Not recommended polyvinyl alcohol (PVA) gloves	
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on th being performed and the risks involved and should be approved by a specia before handling this product.</li> </ul>	
Other skin protection	Appropriate footwear and any additional skin protection measures should b selected based on the task being performed and the risks involved and sho approved by a specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that me appropriate standard or certification. Respirators must be used according t respiratory protection program to ensure proper fitting, training, and other ir aspects of use.	o a
	Filter type (spray application): A P	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked t ensure they comply with the requirements of environmental protection legis In some cases, fume scrubbers, filters or engineering modifications to the p equipment will be necessary to reduce emissions to acceptable levels.	lation.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name		°C	°F	Method
water		100	212	
1-Methoxy 2-propanol		120.17	248.3	OECD 103
Flammability	: N	ot available.	ŀ	ł
Lower and upper explosion imit			thoxyethoxy)ethar ethoxyethoxy)etha	
Flash point	: C	osed cup: >100°C	; (>212°F)	
Auto-ignition temperature	:			
Ingredient name		°C	°F	Method
<b>F</b> thyldiglycol		204	399.2	
1-Methoxy 2-propanol		270	518	
Decomposition temperature : Not available.				
рН	: 7.	1 to 7.7		
Viscosity	: 🕅	, ot available.		
Solubility(ies)	:			
Not available.				
Solubility in water	: N	ot available.		
Partition coefficient: n-octanol/ water	: N	ot applicable.		

#### Vapour pressure

	Vapour Pressure at 20°C		V	apour pres	ressure at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
1-Methoxy 2-propanol	8.5	1.1				
Relative density	: Not	available.		•	•	
Density	: 1 g/	/cm³				
/apour density	: Not	available.				
article characteristics						
Median particle size	: Not	applicable.				

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes				
Explosive properties	: Not available.			
Oxidising properties	: Not available.			
9.2.2 Other safety characteristics				

11

Not applicable.

# SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
Date of issue/Date of revision	: 13/02/2025 Date of previous issue : 30/06/2022 Version : 2 8/17
AKU DE LUXE 55	Label No :39081

## **SECTION 10: Stability and reactivity**

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined i Acute toxicity	n Regulation (EC) No 1272/2008
Product/ingredient name Methoxy 2-propanol	<mark>Result</mark> Rabbit - Dermal - LD50 13 g/kg
	<b>Rat - Oral - LD50</b> 6600 mg/kg <u>Toxic effects</u> : Brain and Coverings - Other degenerative changes Behavioral - General anesthetic Lung, Thorax, or Respiration - Dyspnea
Polyether modified trisiloxane	<b>Rat - Inhalation - LC50 Vapour</b> 2 g/m³ [4 hours]
triisobutyl phosphate	<b>Rat - Oral - LD50</b> >5 g/kg
1,2-benzisothiazol-3(2H)-one	<b>Rat - Oral - LD50</b> 1020 mg/kg
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<b>Rat - Oral - LD50</b> 53 mg/kg <u>Toxic effects</u> : Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lung, Thorax, or Respiration - Respiratory depression

Conclusion/Summary [Product] : Not available.

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
KU DE LUXE 55	17583.1	82393.6	N/A	696.5	N/A
1-Methoxy 2-propanol	6600	13000	N/A	N/A	N/A
Polyether modified trisiloxane	500	N/A	N/A	11	N/A
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-	53	50	N/A	0.5	N/A
3-one [EC no. 247-500-7] and 2-methyl-2H-					
isothiazol-3-one [EC no. 220-239-6] (3:1)					

#### Skin corrosion/irritation

 Product/ingredient name
 Re

 Image: Product nam
 Re

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. Result

Rabbit - Skin - Mild irritant Amount/concentration applied: 500 mg

Rabbit - Skin - Moderate irritant Amount/concentration applied: 500 uL

Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

Human - Skin - Severe irritant Amount/concentration applied: 0.01 %

220-239-6] (3:1)		
Conclusion/Summary [Product]	• Not available	
	. Not available	
Serious eye damage/eye irritation		
Product/ingredient name		Result
Methoxy 2-propanol		Rabbit - Eyes - Mild irritant <u>Duration of treatment/exposure</u> : 24 hours <u>Amount/concentration applied</u> : 500 mg
triisobutyl phosphate		Rabbit - Eyes - Moderate irritant Amount/concentration applied: 100 uL
Conclusion/Summary [Product]	: Not available	
Respiratory corrosion/irritation		
Not available.		
Conclusion/Summary [Product]	: Not available	).
Respiratory or skin sensitization		
Not available.		
Skin		
Conclusion/Summary [Product]	: Not available	
Respiratory		
Conclusion/Summary [Product]	: Not available	э.
Germ cell mutagenicity		
Not available.		
Conclusion/Summary [Product]	: Not available	).
Carcinogenicity		
Not available.		
Conclusion/Summary [Product]	: Not available	
Reproductive toxicity		
Not available.		
Conclusion/Summary [Product]	: Not available	e.
pecific target organ toxicity (sing	<u>le exposure)</u>	
Product/ingredient name		Result
I∕-Methoxy 2-propanol		STOT SE 3, H336 (Narcotic effects)
Specific target organ toxicity (repe	eated exposure)	
Not available.		
Aspiration hazard Not available.		

AKU DE LUXE 55

10/17 Version : 2 Label No :39081

# **SECTION 11: Toxicological information**

Information on likely routes of exposure						
Not available.						
Potential acute health effects						
Eye contact	: No known significant effects or critical hazards.					
Inhalation	: No known significant effects or critical hazards.					
Skin contact	: No known significant effects or critical hazards.					
Ingestion	: No known significant effects or critical hazards.					
Symptoms related to the ph	ysical, chemical and toxicological characteristics					
Eye contact	: No specific data.					
Inhalation	: No specific data.					
Skin contact	: No specific data.					
Ingestion	: No specific data.					
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure					
<u>Short term exposure</u>						
Potential immediate effects	: Not available.					
Potential delayed effects	: Not available.					
Long term exposure						
Potential immediate effects	: Not available.					
Potential delayed effects	: Not available.					
Potential chronic health effects						
Not available.						
Conclusion/Summary [Product] : Not available.						
General	: No known significant effects or critical hazards.					
Carcinogenicity	: No known significant effects or critical hazards.					
Mutagenicity	: No known significant effects or critical hazards.					
Reproductive toxicity	: No known significant effects or critical hazards.					

#### 11.2 Information on other hazards

#### **11.2.1 Endocrine disrupting properties**

Not available.

**Conclusion/Summary [Product]** : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 11.2.2 Other information

Not available.

# SECTION 12: Ecological information

#### 12.1 Toxicity

#### **Product/ingredient name** 1,2-benzisothiazol-3(2H)-one

#### Result

Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - Onorhynchus Mykiss 1.9 mg/l [96 hours]

#### Acute - EC50

OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - Daphnia Magna 3.7 mg/l [48 hours]

#### Acute - EC50 - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum

# **SECTION 12: Ecological information**

0.36 mg/l [72 hours]

#### Acute - NOEC - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.15 mg/l [72 hours]

Conclusion/Summary [Product] : Not available.

#### 12.2 Persistence and degradability

**Product/ingredient name** 

1,2-benzisothiazol-3(2H)-one

Result EU

24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name Aquatic half-life		Photolysis	Biodegradability	
7,2-benzisothiazol-3(2H)-one	-	-	Inherent	

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
✓ Methoxy 2-propanol	<1	-	Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
Methoxy 2-propanol	1.02	10.447
triisobutyl phosphate	2.68	482.732
adipohydrazide	1.74	55.2165
1,2-benzisothiazol-3(2H)-one	1.86	73.142

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	Р	М	Т	vPvM	vP	vM
Hethoxy 2-propanol	No	No	No	No	No	No	No
Polyether modified trisiloxane	No	No	No	No	No	No	No
triisobutyl phosphate	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No
Mobility	: Not av	ailable.			I		

Mobility Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

PBT	Р	В	Т	vPvB	vP
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
	No No No No No	No No No No No No No No No No No No	NoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNo	No	No

3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1)

#### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
Methoxy 2-propanol	No	No	No	No	No	No	No
Polyether modified trisiloxane	No	No	No	No	No	No	No
triisobutyl phosphate	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No
Conclusion/Summary : The product does not meet the criteria to be considered as a PBT or vPvB			PBT or vPvB.				

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

12.6 Endocrine disrupting properties

Not available.

**Conclusion/Summary [Product]** 

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

VB No No

No No No No

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Date of issue/Date of revision	: 13/02/2025 Date of previous issue : 30/06/2022 Version : 2 13/17
AKU DE LUXE 55	Label No :39081

# **SECTION 13: Disposal considerations**

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7 Maritime transport in bulk according to IMO instruments

# : Not relevant/applicable due to nature of the product.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

# Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Labelling	:
Other EU regulations	
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed
Explosive precursors	: Not applicable
Ozone depleting substance	es (EU 2024/590)
Not listed.	
Drier Informed Concept (D	

Prior Informed Consent (PIC) (649/2012/EU)

# **SECTION 15: Regulatory information**

Not listed.

Persistent Organic Pollutants Not listed.

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

#### **Montreal Protocol**

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

# **15.2 Chemical safety** assessment

: This product contains substances for which Chemical Safety Assessments are still required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

#### Full text of abbreviated H statements

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Full text of classifications [CLP/GHS]

: 13/02/2025 Date of previous issue

# **SECTION 16: Other information**

SECTION 10. OU	
Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 3
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Skin Sens. 1B	SKIN SENSITISATION - Category 1B
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
Date of issue/ Date of revision	: 13/02/2025
Date of previous issue	e : 30/06/2022
Version	: 2

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.