

Reviewed on: 25/02/2022 Printing date: 25/02/2022

SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier • Trade name: HARTÖL 6448 Article number / Safety Data Sheet: 643480 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Sens. 1 - H317 May cause an allergic skin reaction. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: Tung Oil Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label). P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

*



Reviewed on: 25/02/2022 Printing date: 25/02/2022

	Composition/information on ingredients characterization: Mixtures	
 Description: 	stances listed below with nonhazardous additions.	
• Dangerous cor	nponents:	
CAS Number		%
8001-20-5	Tung Oil EC number: 232-272-3 ଐ Skin Sens. 1 - H317	60,00- 90,00
8042-47-5	White mineral oil, petroleum EC number: 232-455-8 Record number 01-2119487078-27 ♦ Asp. Tox. 1 - H304	5,00- 10,00
64742-49-0	Naphtha (petroleum), hydrotreated light EC number: 927-241-2 Record number 01-2119471843-32	5,00- 10,00
Additional info For the wording	rmation: g of the listed risk phrases refer to section 16.	

Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. After skin contact:

- Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. After swallowing:
- Do not induce vomiting; call for medical help immediately. *Information for doctor:*
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents:
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 5.2 Special hazards arising from the substance or mixture
Formation of toxic gases is possible during heating or in case of fire.
5.3 Advice for firefighters
Protective equipment:
Mouth respiratory protective device.
Do not inhale explosion gases or combustion gases.
Additional information
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

*



Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT :	HARTÖL 6448
CECTION O	(continued of page 2)
SECTION	6: <u>Accidental release measures</u>
6.1 Perso	nal precautions, protective equipment and emergency procedures
	ective equipment. Keep unprotected persons away.
	equate ventilation Inmental precautions:
	w product to reach sewage system or any water course.
	bective authorities in case of seepage into water course or sewage system.
	seepage into the ground inform responsible authorities.
	gas release or seepage into the ground inform responsible authorities.
	w to enter sewers/ surface or ground water.
	ds and material for containment and cleaning up:
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	ontaminated material as waste according to item 13.
	n 7 for information on safe handling.
	n 8 for information on personal protection equipment.
	n 13 for disposal information.
SECTION	7: Handling and storage
SECTION	<u>. nanuning and storage</u>
 Handling: 	
	itions for safe handling
	od ventilation/exhaustion at the workplace.
	handle receptacle with care.
	rmation of aerosols.
	of emission threshold.
	n about fire - and explosion protection: pact and friction.
i levent ili	pact and metion.
 7.2 Condit 	ions for safe storage, including any incompatibilities
 Storage: 	
	ents to be met by storerooms and receptacles:
	in the original receptacle.
	n about storage in one common storage facility:
Not require	ormation about storage conditions:
	ol, dry conditions in well sealed receptacles.
	m heat and direct sunlight.
	ic end use(s)
	relevant information available.
SECTION 0	3: Exposure controls/personal protection
8.1 Contro	
 Ingredien The product 	ts with limit values that require monitoring at the workplace:
the workpl	ct does not contain any relevant quantities of materials with critical values that have to be monitored at
Additional	
	alid during the making were used as basis.
 8.2 Expos 	
	protective equipment:
	otective and hygienic measures: precautionary measures to when handling chemicals.
	ly remove all soiled and contaminated clothing
	ale gases / fumes / aerosols.

- smoke / m innale

Avoid contact with the eyes and skin. Do not eat or drink while working. Be sure to clean skin thoroughly after work and before breaks.

(continued on page 4)

Page : 4 / 7 MATERIAL SAFETY DATA SHEET according to 1907/2006/EC, Article 31



4139703

Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : **HARTÖL 6448** (continued of page 3) • Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Suitable respiratory protective device recommended. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves Impervious gloves Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Eye protection: Safety glasses Body protection: Protective work clothing

SECTION 09: F	Physical and chemical	properties
---------------	-----------------------	------------

Appearance		
Appearance:		
Form:	Liquid	
Colour:	According to product specifica	
Odour:	Characteristic Characteristic	
Odour threshold:	Not determined.	
Change in condition		
Initial boiling point and boiling range:	80 °C	
Flash point:	> 60 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	255 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	0,9300 g/cm3	
Solubility in / Miscibility with		
water:	Not determined.	
Viscosity:		
	Not determined.	
	22 - 32 s DIN 4 mm	
9.2 Other information	No further relevant information available.	

(continued on page 5)



(continued of page 4)

4139703

*

Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : HARTÖL 6448

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials:
- No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:
- 112-34-5 2-(2-butoxyethoxy)ethanol
- Oral, LD50: 5660 mg/kg (rat)
 - Dermal, LD50: 4000 mg/kg (Rabbit)
 - Primary irritant effect:
 - Skin corrosion/irritation
 - No irritant effect.
 - Serious eye damage/irritation
 - No irritating effect. • Respiratory or skin sensitisation
 - Sensitisation possible through skin contact.
 - Additional toxicological information:
 - The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant
 - 11.2 Information on other hazards
 - Endocrine disrupting properties
 - None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:
- No further relevant information available.
- 12.2 Persistence and degradability
- No further relevant information available. Behaviour in environmental systems:
- Denaviour in environmental systems
 12.3 Bioaccumulative potential
- No further relevant information available.
- 12.4 Mobility in soil
- No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB: Not applicable
- 12.6 Other adverse effects
- No further relevant information available.



(continued of page 5)

4139703

Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : HARTÖL 6448

SECTION 13: Disposal considerations

13.1 Waste treatment methods
European and swiss waste code
08
WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF
COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
AND PRINTING INKS
08 01
wastes from MFSU and removal of paint and varnish
08 01 11
waste paint and varnish containing organic solvents or other hazardous
substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

• 14.1 UN-Number		
ADR	Void	
IMDG	Void	
IATA	Void	
• 14.2 UN proper shipping nar	ne	
ADR	Void	
IMDG	Void	
IATA	Void	
 14.3 Transport hazard class(es) ADR 		
Class	Void	
IMDG		
Class	Void	
ΙΑΤΑ		
Class	Void	
 14.4 Packing group 		
ADR	Void	
IMDG	Void	
ΙΑΤΑ	Void	

• **14.5 Environmental hazards:** Not applicable.

• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
 - None of the ingredients is listed.
 - REGULATION (EU) 2019/1148
 - Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
 - None of the ingredients is listed.
 - Annex II REPORTABLE EXPLOSIVES PRECURSORS

(continued on page 7)

*

*

*



Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : HARTÖL 6448

	(continued of page 6)
* None of	the ingredients is listed.
	TION (EC) No 1907/2006 ANNEX XVII
	ons of restriction: 3
National	
 National r 	eguiations:
Testaled	
	instructions (air):
Class Sha	
* III	6,40
Waterhaza	
	ard class 1 (Self-assessment): slightly hazardous for water.
	nical safety assessment:
A Chemica	al Safety Assessment has not been carried out.
SECTION 1	6: Other information
This informa	tion is based on any present knowledge. However, this shall not constitute a guarantee for any apositie
	tion is based on our present knowledge. However, this shall not constitute a guarantee for any specific
	ires and shall not establish a legally valid contractual relationship.
* • Relevant p	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
* H317	May cause an allergic skin reaction.
* H336	May cause drowsiness or dizziness.
* H412	Harmful to aquatic life with long lasting effects.
Departme	nt issuing MSDS:
	ent protection department.
	ons and acronyms:
	ord européen sur le transport des marchandises dangereuses par Route (European Agreement
	g the International Carriage of Dangerous Goods by Road)
	ement international concernant le transport des marchandises dangereuses par chemin de fer
	ns Concerning the International Transport of Dangerous Goods by Rail)
	ernational Maritime Code for Dangerous Goods
	rnational Air Transport Association
	rnational Civil Aviation Organisation
	bally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	mical Abstracts Service (division of the American Chemical Society)
	nal concentration, 50 percent
	nal dose, 50 percent
	istent, Bioaccumulative and Toxic
VPvB: very	Persistent and very Bioaccumulative
* Data con	npared to the previous version altered.