# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Malta

# **SAFETY DATA SHEET**



KIRJO AQUA 20 - All variants

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Produ	uct id	lentif	ier

Product name : KIRJO AQUA 20 - All variants

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

#### **National contact**

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

#### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

 Telephone number
 : Malta Competition and Consumer Affairs Authority (MCCAA): +356 2395 2000

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements				
Signal word	:	No signal word.		
Hazard statements	:	No known significant effects or critical hazards.		
Precautionary statements				
Prevention	1	Not applicable.		
Response	1	Not applicable.		
Storage	1	Not applicable.		
Disposal	1	Not applicable.		
Supplemental label elements	:	<ul> <li>Contains 2,4,7,9-tetramethyl-5-decyne-4,7-diol, 1,2-benzisothiazol-3(2H)-one and 2-Methyl-1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and DTBMA and MBIT.</li> </ul>		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:			
Date of issue/Date of revision		: 18/02/2025 Date of previous issue : 24/08/2022 Version : 2 1/16		

# **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture			Specific Conc	
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≥10 - ≤25	Carc. 2, H351 (inhalation)	-	[1] [*]
Dipropyleneglycolmethylether	REACH #: 01-2119450011-60 EC: 252-104-2 CAS: 34590-94-8	≤3	Not classified.	-	[2]
2,4,7,9-tetramethyl- 5-decyne-4,7-diol	REACH #: 01-2119954390-39 EC: 204-809-1 CAS: 126-86-3	≤0.3	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	-	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
2-Methyl-1,2-benzisothiazol- 3(2H)-one	EC: 695-989-4 CAS: 2527-66-4 Index: 613-336-00-3	<0.0015	Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 EUH071	ATE [Oral] = 175 mg/kg ATE [Dermal] = 1100 mg/kg Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter  $\leq$  10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

: 18/02/2025 Date of previous issue

# SECTION 4: First aid measures

4.1 Description of first aid measures				
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.			
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.			
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>			
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.			

4.2 Most important symptoms and effects, both acute and delayed
Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	-	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising fi	ron	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

To not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations Industrial sector specific solutions

- : Not available.
- : Not available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

**Occupational exposure limits** 

Product/ingredient name		Exposure limit values		
		<b>EU OEL (Europe, 1/2022) [(2-Methoxymethylethoxy)-propanol]</b> Absorbed through skin. TWA 8 hours: 50 ppm. TWA 8 hours: 308 mg/m <sup>3</sup> .		
Biological exposure indices				
Product/ingredient	name	Exposure indices		
No exposure indices known.				
procedures European Stand assessment of e values and mea atmospheres - C of exposure to c (Workplace atm for the measure		uld be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit asurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be		
<u>DNELs/DMELs</u> Product/ingredient name		Result		
Manium dioxide		DNEL - General population - Long term - Inhalation 28 μg/m <sup>3</sup> Effects: Local		
		<b>DNEL - Workers - Long term - Inhalation</b> 170 μg/m³ <u>Effects</u> : Local		
Dipropyleneglycolmethylether		<b>DNEL - General population - Long term - Oral</b> 36 mg/kg bw/day <u>Effects</u> : Systemic		
		DNEL - General population - Long term - Inhalation 37.2 mg/m <sup>3</sup> Effects: Systemic		
		<b>DNEL - General population - Long term - Dermal</b> 121 mg/kg bw/day <u>Effects</u> : Systemic		
		<b>DNEL - Workers - Long term - Dermal</b> 283 mg/kg bw/day <u>Effects</u> : Systemic		
		<b>DNEL - Workers - Long term - Inhalation</b> 308 mg/m <sup>3</sup> <u>Effects</u> : Systemic		
2,4,7,9-tetramethyl-5-decyne-4,7-diol		<b>DNEL - General population - Long term - Oral</b> 0.29 mg/kg bw/day <u>Effects</u> : Systemic		
		<b>DNEL - General population - Long term - Dermal</b> 0.29 mg/kg bw/day <u>Effects</u> : Systemic		

KIRJO AQUA 20 - All variants

### **SECTION 8: Exposure controls/personal protection**

**DNEL - General population - Long term - Inhalation** 0.505 mg/m<sup>3</sup> <u>Effects</u>: Systemic

**DNEL - Workers - Long term - Dermal** 0.812 mg/kg bw/day <u>Effects</u>: Systemic

**DNEL - Workers - Long term - Inhalation** 2.86 mg/m<sup>3</sup> <u>Effects</u>: Systemic

1,2-benzisothiazol-3(2H)-one

**DNEL - General population - Long term - Dermal** 0.345 mg/kg bw/day <u>Effects</u>: Systemic

**DNEL - Workers - Long term - Dermal** 0.966 mg/kg bw/day <u>Effects</u>: Systemic

**DNEL - General population - Long term - Inhalation** 1.2 mg/m<sup>3</sup> <u>Effects</u>: Systemic

**DNEL - Workers - Long term - Inhalation** 6.81 mg/m<sup>3</sup> <u>Effects</u>: Systemic

#### **PNECs**

Not available.

8.2 Exposure controls					
Appropriate engineering controls	:	: Good general ventilation should be sufficient to control worker exposure to airborn contaminants.			
Individual protection measu	res				
Hygiene measures	:	Wash hands, forearms and face before eating, smoking and usin Appropriate techniques should b Wash contaminated clothing bet safety showers are close to the	ig the lavatory and at the e be used to remove potentia fore reusing. Ensure that e	nd of the working period. Illy contaminated clothing.	
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection					
Hand protection	:	Chemical-resistant, impervious g be worn at all times when handli this is necessary.			
		Recommendations : Wear suit	able gloves tested to EN37	74.	
		> 8 hours (breakthrough time):	Nitrile gloves. thickness	> 0.3 mm	
		Not recommended	polyvinyl alcohol (PVA)	gloves	
Body protection	:	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Other skin protection	:	Appropriate footwear and any ac selected based on the task bein approved by a specialist before	g performed and the risks		
Date of issue/Date of revision		: 18/02/2025 Date of previous issue	: 24/08/2022	Version : 2 6/16	
KIRJO AQUA 20 - All variants				Label No :38740	

# **SECTION 8: Exposure controls/personal protection**

•	
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and	:
boiling range	

Ingredient name	°C	°F	Method	
water	100	212		
Dipropyleneglycolmethylether	189.6	373.3	EU A.2	
Elemmobility	let eveileble			

Flammability	i Not avallable.
Lower and upper explosion limit	: <b>I</b> wer: 1.1% ((2-methoxymethylethoxy)propanol) Upper: 14% ((2-methoxymethylethoxy)propanol)

2

÷

#### **Flash point**

#### : Closed cup: >100°C (>212°F)

#### **Auto-ignition temperature**

Ingredient name	°C	°F	Method
Propyleneglycol-n-butylether	194	381.2	EU A.15
Dipropyleneglycolmethylether	207	404.6	EU A.15

Decomposition temperature	4	Not available.
рН	1	8.5 to 9.2
Viscosity	1	Not available.
Solubility(ies)	:	
Not available.		
Solubility in water	:	Not available.
Partition coefficient: n-octanol/	÷	Not applicable.

Partition coefficient: n-octanol/	4	Not applicable
water		

#### Vapour pressure

	Vapour Pressure at 20°C		V	ssure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
Dipropyleneglycol-n-butylether	0.045	0.006				
Relative density	: Not	available.	<b>_</b>			
Density	: 1.2	g/cm³				
/apour density	: Not	available.				
Particle characteristics						
te of issue/Date of revision	: 18/02/2	2025 <b>Date o</b>	of previous issue	: 24/08/2022		Version : 2 7

KIRJO AQUA 20 - All variants

: 18/02/2025 Date of previous issue

#### **SECTION 9: Physical and chemical properties** Median particle size : Not applicable. 9.2 Other information 9.2.1 Information with regard to physical hazard classes **Explosive properties** : Not available. **Oxidising properties** : Not available. 9.2.2 Other safety characteristics Not applicable. SECTION 10: Stability and reactivity **10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients. **10.2 Chemical stability** : The product is stable. 10.3 Possibility of : Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions 10.4 Conditions to avoid : No specific data. 10.5 Incompatible materials : No specific data.

# SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

should not be produced.

Acute toxicity Product/ingredient name ,2-benzisothiazol-3(2H)-one

decomposition products

**10.6 Hazardous** 

Result Rat - Oral - LD50 1020 mg/kg

: Under normal conditions of storage and use, hazardous decomposition products

#### Conclusion/Summary [Product] : Not available.

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
	450	N/A	N/A	N/A	0.21
	175	1100	N/A	N/A	N/A

Skin corrosion/irritation	
Product/ingredient name	Result
₩anium dioxide	Human - Skin - Mild irritant Duration of treatment/exposure: 72 hours Amount/concentration applied: 300 ug I
Dipropyleneglycolmethylether	Rabbit - Skin - Mild irritant Amount/concentration applied: 500 mg
2,4,7,9-tetramethyl-5-decyne-4,7-diol	Rabbit - Skin - Mild irritant Amount/concentration applied: 0.5 gm
1,2-benzisothiazol-3(2H)-one	Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours

Date of issue/Date of revision KIRJO AQUA 20 - All variants : 18/02/2025 Date of previous issue

vious issue : 24/08/2022

Version : 2 8/16 Label No :38740

## **SECTION 11: Toxicological information**

Amount/concentration applied: 5 % **Conclusion/Summary [Product]** : Not available. Serious eye damage/eye irritation **Product/ingredient name** Result Dipropyleneglycolmethylether Human - Eyes - Mild irritant Amount/concentration applied: 8 mg Rabbit - Eyes - Mild irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 500 mg **Rabbit - Eyes - Severe irritant** 2,4,7,9-tetramethyl-5-decyne-4,7-diol Amount/concentration applied: 0.1 MI Conclusion/Summary [Product] : Not available. **Respiratory corrosion/irritation** Not available. Conclusion/Summary [Product] : Not available. **Respiratory or skin sensitization** Not available. Skin Conclusion/Summary [Product] : Not available. Respiratory Conclusion/Summary [Product] : Not available. Germ cell mutagenicity Not available. Conclusion/Summary [Product] : Not available. Carcinogenicity It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. Not available. **Conclusion/Summary [Product]** : Not available. **Reproductive toxicity** Not available. **Conclusion/Summary** [Product] : Not available. Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

: 18/02/2025 Date of previous issue

# **SECTION 11: Toxicological information**

A substitution for south		
Aspiration hazard Not available.		
Information on likely route Not available.	s of expos	<u>sure</u>
Potential acute health effe	ete	
Eye contact		nown significant effects or critical hazards.
Inhalation		nown significant effects or critical hazards.
Skin contact		nown significant effects or critical hazards.
		nown significant effects or critical hazards.
Ingestion		
		hemical and toxicological characteristics
Eye contact		pecific data.
Inhalation		pecific data.
Skin contact		pecific data.
Ingestion		pecific data.
	ects as w	ell as chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	: Not a	available.
Potential delayed effects	: Not a	available.
Long term exposure		
Potential immediate effects	: Not a	available.
Potential delayed effects	: Not a	available.
Potential chronic health ef	fects	
Not available.		
Conclusion/Summary [P	roduct]	Not available.
General	: No k	nown significant effects or critical hazards.
Carcinogenicity	: No k	nown significant effects or critical hazards.
Mutagenicity	: No k	nown significant effects or critical hazards.
Reproductive toxicity	: No k	nown significant effects or critical hazards.
11.2 Information on other h	azards	
<b>11.2.1 Endocrine disruptin</b> Not available.	g properti	es
Conclusion/Summary [P	roduct]	The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC)

#### 11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

12.1 Toxicity
Product/ingredient name
titanium dioxide

#### Result

No. 1907/2006 or Regulation (EC) No 1272/2008.

Acute - LC50 - Marine water Fish - Mummichog - *Fundulus heteroclitus* >1000000 µg/l [96 hours] <u>Effect</u>: Mortality

Acute - LC50 - Fresh water Crustaceans - Water flea - *Ceriodaphnia dubia* - Neonate <u>Age</u>: <24 hours 3 mg/l [48 hours] <u>Effect</u>: Mortality

: 18/02/2025 Date of previous issue

2,4,7,9-tetramethyl-5-decyne-4,7-diol	
	Fish - <i>Cyprinus carpio</i> 42 mg/l [96 hours]
	EC50
	Daphnia - <i>Daphnia magna</i>
	91 mg/l [48 hours]
,2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water
	OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i>
	1.9 mg/l [96 hours]
	Acute - EC50
	OECD 202 [Daphnia sp. Acute Immobilization Test and
	Reproduction Test]
	Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]
	Acute - EC50 - Marine water
	OECD 201 [Alga, Growth Inhibition Test]
	Algae - Algae - Skeletonema Costatum
	0.36 mg/l [72 hours]
	Acute - NOEC - Marine water
	OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i>
	0.15 mg/l [72 hours]
-Methyl-1,2-benzisothiazol-3(2H)-one	Acute - EC50 - Fresh water
	US EPA
	Daphnia - Water flea - <i>Daphnia magna</i> Age: <24 hours
	0.92 ppm [48 hours]
	Effect: Intoxication
	Acute - EC50 - Fresh water
	US EPA
	Algae - Green algae - <i>Pseudokirchneriella subcapitata</i> 0.22 ppm [96 hours]
	Effect: Population
	Acute - LC50 - Fresh water
	US EPA
	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykis Juvenile (Fledgling, Hatchling, Weanling)
	0.24 ppm [96 hours]
	Effect: Mortality
	Chronic - NOEC US EPA
	US EPA Fish - Fathead minnow - <i>Pimephales promelas</i>
	0.16 ppm [32 days]
Conclusion/Summary [Product] :	Not available.
.2 Persistence and degradability	
Product/ingredient name	Result
···· <b>·</b> · · · · ·	EU.
,2-benzisothiazol-3(2H)-one	EU 24% [28 days]

: 18/02/2025 Date of previous issue

Product/ingredient name	Aquatic h	alf-life	Pł	notolysis		Biodegra	dability
,2-benzisothiazol-3(2H)-one	-		-			Inherent	
2.3 Bioaccumulative potenti	al		ŀ			-1	
Product/ingredient name	LogPow		B	CF		Potential	
Vipropyleneglycolmethylether0.004,2-benzisothiazol-3(2H)-one-			- 3.2	2		Low Low	
Soil/water partition coefficie	nt						
Product/ingredient name		logKoc			<b>Koc</b>		
· · · · · · · · · · · · · · · · · · ·	4,7-diol	logKoc 1.92 1.86 1.72			Koc 83.8929 73.142 52.5063		
Product/ingredient name 2,4,7,9-tetramethyl-5-decyne- 1,2-benzisothiazol-3(2H)-one	4,7-diol (2H)-one	1.92 1.86 1.72			83.8929 73.142		
Product/ingredient name 2,4,7,9-tetramethyl-5-decyne- 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3	4,7-diol (2H)-one	1.92 1.86 1.72		T	83.8929 73.142	vP	vl
Product/ingredient name 2,4,7,9-tetramethyl-5-decyne- 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as	4,7-diol (2H)-one	1.92 1.86 1.72	M	T	83.8929 73.142 52.5063	vP No	
Product/ingredient name 2,4,7,9-tetramethyl-5-decyne- 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as Product/ingredient name Manium dioxide Dipropyleneglycolmethylether	4,7-diol (2H)-one ssessment PMT	1.92 1.86 1.72 P			83.8929 73.142 52.5063		vN Na Na
Product/ingredient name 2,4,7,9-tetramethyl-5-decyne- 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as Product/ingredient name	4,7-diol (2H)-one ssessment PMT No	1.92 1.86 1.72 P No	No	No	83.8929 73.142 52.5063	No	Nc
Product/ingredient name 2,4,7,9-tetramethyl-5-decyne- 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as Product/ingredient name Manium dioxide Dipropyleneglycolmethylether 2,4,7,9-tetramethyl-	4,7-diol (2H)-one ssessment PMT No No No No	1.92 1.86 1.72 P No No	No No	No No	83.8929 73.142 52.5063 <b>vPvM</b> No No	No No	No No

Mobility Conclusion/Summary

3(2H)-one

: Not available.

#### 12.5 Results of PBT and vPvB assessment

#### Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
Dipropyleneglycolmethylether	No	No	No	No	No	No	No
2,4,7,9-tetramethyl-	No	No	No	No	No	No	No
5-decyne-4,7-diol							
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
		No	No	No	No	No	No

#### Regulation (EC) No. 1272/2008 [CLP]

Dreduct/ingradient nome	PBT	D	P	<b>T</b>	VDVD	VD.	vP
Product/ingredient name	РЫ	P	B		vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
Dipropyleneglycolmethylether	No	No	No	No	No	No	No
2,4,7,9-tetramethyl- 5-decyne-4,7-diol	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-Methyl-1,2-benzisothiazol- 3(2H)-one		No	No	No	No	No	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

#### **12.6 Endocrine disrupting properties**

Not available.

<sup>:</sup> The product does not meet the criteria to be considered as a PMT or vPvM.

# **SECTION 12: Ecological information**

**Conclusion/Summary [Product]** 

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	<ul> <li>This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

**14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not relevant/applicable due to nature of the product.

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorisation
Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.
<u>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous</u> substances, mixtures and articles
Labelling :
Other EU regulations
Industrial emissions : Not listed (integrated pollution prevention and control) -
Air
Industrial emissions : Not listed (integrated pollution prevention and control) - Water
Explosive precursors : Not applicable.
Ozone depleting substances (EU 2024/590)
Not listed.
Prior Informed Consent (PIC) (649/2012/EU)
Not listed.
Persistent Organic Pollutants Not listed.
Seveso Directive
This product is not controlled under the Seveso Directive.
International regulations
Chemical Weapon Convention List Schedules I, II & III Chemicals
Not listed.
Montreal Protocol
Not listed.
Stockholm Convention on Persistent Organic Pollutants Not listed.
Rotterdam Convention on Prior Informed Consent (PIC) Not listed.
Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals
Not listed.
<b>15.2 Chemical safety</b> : This product contains substances for which Chemical Safety Assessments are still required.

: 18/02/2025 Date of previous issue

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

	nat has changed from previously issued version.
Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative
Barris and the second data deaths	

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

#### Full text of abbreviated H statements

<b>⊮</b> 301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Full text of classifications [CLP/GHS]

: 2

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Skin Sens. 1B	SKIN SENSITISATION - Category 1B
Date of issue/ Date of	: 18/02/2025
revision	
Date of previous issue	e : 24/08/2022

#### Notice to reader

Version

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision KIRJO AQUA 20 - All variants : 18/02/2025 Date of previous issue

: 24/08/2022

Version : 2 16/16 Label No :38740