

Reviewed on: 25/02/2022 Printing date: 25/02/2022

SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier Trade name: MATTÖL 1410 / MATTÖL BUNT 1409 Article number / Safety Data Sheet: N1410M 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 STOT SE 3 - H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics / Naphtha (petroleum), hydrotreated light Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. (continued on page 2)



Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT :	MATTÖL 1410 / MATTÖL BUNT 1409	
		(continued of page 1)

· 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
- Not applicable. vPvB:
- Not applicable.

Description:	characterization: Mixtures stances listed below with nonhazardous additions.	
• Dangerous cor	nponents:	
CAS Number		%
	Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, cyclenes, <2% aromatics EC number: 919-857-5 Record number 01-2119463258-33 ♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3 - H226; ♦ STOT SE 3 - H336; EUH066	40,00- 60,00
64742-47-8	Hydrocarbons, C11-C14 n-alkanes, cyclic, <2% aromatics EC number: 926-141-6 Record number 01-2119456620-43 ♦ Asp. Tox. 1 - H304; EUH066	10,00- 25,00
1330-20-7	xylene EC number: 215-535-7 Record number 01-2119488216-32 ♦ Flam. Liq. 3 - H226; Acute Tox. 4 - H312, Acute Tox. 4 - H332, Skin Irrit. 2 - H315	0,0015- 0,50
64742-49-0	Naphtha (petroleum), hydrotreated light EC number: 927-241-2 Record number 01-2119471843-32	5,00- 10,00

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- . After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact:
- Immediately wash with water and soap and rinse thoroughly. After eye contact:
- Rinse opened eye for several minutes under running water.
- *After swallowing:* Do not induce vomiting; call for medical help immediately.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(continued on page 3)



(continued of page 2)

2674622

Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : MATTÖL 1410 / MATTÖL BUNT 1409

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
- Mouth respiratory protective device.
- Do not inhale explosion gases or combustion gases.
- Additional information
 Cool endangered receptacles with water spray.
 Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 06: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars.
 - Inform respective authorities in case of seepage into water course or sewage system.
- In case of seepage into the ground inform responsible authorities.
- In case of gas release or seepage into the ground inform responsible authorities.
 - Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
 - 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 07: Handling and storage

• Handling:

- 7.1 Precautions for safe handling Open and handle receptacle with care. Take note of emission threshold. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
 - Prevent impact and friction.
 - 7.2 Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep container tightly sealed.



(continued of page 3)

2674622

Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT: MATTÖL 1410 / MATTÖL BUNT 1409

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 1330-20-7 xylene WEL Short-term value 441 mg/m3 100 ppm Long-term value 220 mg/m3 50 ppm Sk; BMGV · Ingredients with biological limit values: 1330-20-7 xylene BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Be sure to clean skin thoroughly after work and before breaks. Respiratory protection: Suitable respiratory protective device recommended. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Impervious gloves Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Eye protection: Safety glasses Body protection: Protective work clothing

9.1 Information on basic phy	vsical and chemical properties	
Appearance		
Appearance:		
Form:	Liquid	
Colour:	According to product specifica	
Odour:	Characteristic Characteristic	



Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : MATTÖL 1410 / MATT	ÖL BUNT 1409
	(continued of page 4
Odour threshold:	Not determined.
Change in condition	
Initial boiling point and boiling range:	80 °C
Flash point:	40 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	201 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	6 Vol %
Vapour pressure:	at 20 °C 2,0000 mbar
Density:	0,8500 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	18 - 22 s DIN 4 mm
Solvent content:	
Organic solvents:	64,00 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available. • 10.5 Incompatible materials:
- No further relevant information available.
- 10.6 Hazardous decomposition products:
- No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:
- 1330-20-7 xylene
- Oral, LD50: 4300 mg/kg (rat)
- Dermal, LD50: 2000 mg/kg (Rabbit)
- Primary irritant effect:
- Skin corrosion/irritation
- No irritant effect.
- Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation
- No sensitising effects known.
- 11.2 Information on other hazards


*

*

*



Reviewed on: 25/02/2022 Printing date: 25/02/2022



AND PRINTING INKS 08 01 wastes from MFSU and removal of paint and varnish 08 01 11 waste paint and varnish containing organic solvents or other hazardous substances

Uncleaned packaging:


```
Recommendation:
```

Disposal must be made according to official regulations.

• 14.1 UN-Number		
ADR	UN1263	
IMDG	UN1263	
ΙΑΤΑ	UN1263	
 14.2 UN proper sl ADR 	n ipping name 1263 PAINT	
IMDG	PAINT	
ΙΑΤΑ	PAINT	
 14.3 Transport ha ADR 	zard class(es)	
Class	3 Flammable liquids.	



Reviewed on: 25/02/2022 Printing date: 25/02/2022



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
None of the ingredients is listed.
REGULATION (EU) 2019/1148

(continued on page 8)

*



Reviewed on: 25/02/2022 Printing date: 25/02/2022

• Anney L. F	<i>continued of page 7)</i> RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under
Article 5(3	
	"the ingredients is listed.
	REPORTABLE EXPLOSIVES PRECURSORS
	the ingredients is listed.
	ION (EC) No 1907/2006 ANNEX XVII
	ons of restriction: 3, 40
 National r 	egulations:
Tashaisal	
 Tecnnical Class Sha 	instructions (air):
III	18,44
II	0,45
	07.20
 Waterhaza 	ırd class:
	ard class 1 (Self-assessment): slightly hazardous for water.
	nical safety assessment: al Safety Assessment has not been carried out.
A CHEIIIC	ו סמוכוץ המשבממוולוון וומש ווטן שללוו למווולט טעו.
ECTION 1	6: Other information
This informat	
	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specific
product featu	rres and shall not establish a legally valid contractual relationship.
product featureRelevant product feature	rres and shall not establish a legally valid contractual relationship.
 product feature Relevant product feature EUH066 	rres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking.
 Product feature Relevant product feature EUH066 H226 	rres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour.
product featu • Relevant p EUH066 H226 H304	rres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways.
product featu • Relevant p EUH066 H226 H304 H312	rres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin.
product featu • Relevant p EUH066 H226 H304 H312 H315	rres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation.
product featu • Relevant p EUH066 H226 H304 H312 H315 H332	Irres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled.
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336	Irres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness.
product featu • Relevant p EUH066 H226 H304 H312 H315 H332	Irres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled.
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412	Interes and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
 product featu Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 Departme 	Interse and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS:
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme	Interse and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department.
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati	Interes and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. Int protection department. Int accomposed in the stability of the sta
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco	Interes and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. Int protection department. Int acronyms: Int device a marchandises dangereuses par Route (European Agreement
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Accor concerning	Interest and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. Int protection department. Int aronyms: Int decomption sur le transport des marchandises dangereuses par Route (European Agreement of the International Carriage of Dangerous Goods by Road)
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle	Interes and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. Int protection department. Int acronyms: Int device a marchandises dangereuses par Route (European Agreement
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio	Interest and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. Int protection department. Int protection department. Int and acronyms: Int derongéen sur le transport des marchandises dangereuses par Route (European Agreement of the International Carriage of Dangerous Goods by Road) International concernant le transport des marchandises dangereuses par chemin de fer
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte	Interest and shall not establish a legally valid contractual relationship. Ihrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int protection department. <i>Cons and acronyms:</i> ord européen sur le transport des marchandises dangereuses par Route (European Agreement g the International Carriage of Dangerous Goods by Road) ement international Carriage of Dangerous Goods ins Concerning the International Transport des marchandises dangereuses par chemin de fer his Concerning the International Transport of Dangerous Goods by Rail) emational Maritime Code for Dangerous Goods rnational Air Transport Association
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte ICAO: Inte	Interest and shall not establish a legally valid contractual relationship. Ihrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int protection department. <i>Cons and acronyms:</i> ord européen sur le transport des marchandises dangereuses par Route (European Agreement g the International Carriage of Dangerous Goods by Road) ement international concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) emational Maritime Code for Dangerous Goods rnational Air Transport Association rnational Civil Aviation Organisation
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob	Interest and shall not establish a legally valid contractual relationship. Intrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int protection department. <i>Cons and acronyms:</i> Drd européen sur le transport des marchandises dangereuses par Route (European Agreement of the International Carriage of Dangerous Goods by Road) ement international Carriage of Dangerous Goods by Road) ement international concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) emational Maritime Code for Dangerous Goods mational Air Transport Association rrational Civil Aviation Organisation bally Harmonised System of Classification and Labelling of Chemicals
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob EINECS: F	International Carriage of Dangerous Goods by Road) International Carriage of Dangerous Goods by Road) ement international concernant le transport of Dangerous Goods by Rail) ement international Carriage of Dangerous Goods int international Carriage of Dangerous Goods by Road) ement international Concernant le transport of Dangerous Goods by Rail) ement international Carriage of Dangerous Goods int international Concernant le transport of Dangerous Goods by Rail) ement international Carriage of Dangerous Goods int international Concernant le transport of Dangerous Goods by Rail) ement international Concernant le transport of Dangerous Goods by Rail) ement international Corriage of Dangerous Goods intal Maritime Code for Dangerous Goods intalional Air Transport Association mational Air Transport Association intalional Air Transport of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob EINECS: F ELINCS: F	res and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> ord européen sur le transport des marchandises dangereuses par Route (European Agreement g the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) mational Maritime Code for Dangerous Goods mational Air Transport Association mational Air Transport Association mational Civil Aviation Organisation mational Live Transport of Existing Commercial Chemical Substances European List of Notified Chemical Substances
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob EINECS: E ELINCS: E CAS: Chel	Interest and shall not establish a legally valid contractual relationship. Ihrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>Cons and acronyms:</i> Drd européen sur le transport des marchandises dangereuses par Route (European Agreement of the International Carriage of Dangerous Goods by Road) ement international Carriage of Dangerous Goods rational Maritime Code for Dangerous Goods rational Air Transport Association rrational Civil Aviation Organisation bally Harmonised System of Classification and Labelling of Chemicals European List of Notified Chemical Substances mical Abstracts Service (division of the American Chemical Society)
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Accc concerning RID: Règie (Regulatio IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob EINECS: F ELINCS: E ELINCS: Lett	<pre>inres and shall not establish a legally valid contractual relationship. ihrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. the state of the state</pre>
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Accc concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte ICAO: Inte GHS: Glot EINECS: E ELINCS: E CAS: Chei LC50: Lett	Irres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int protection department. <i>ons and acronyms:</i> ord européen sur le transport des marchandises dangereuses par Route (European Agreement g the International Carriage of Dangerous Goods by Road) ment international Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) rmational Maritime Code for Dangerous Goods rnational Air Transport Association rnational Civil Aviation Organisation hally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances Luropean List of Notified Chemical Substances mical Abstracts Service (division of the American Chemical Society) hal dose, 50 percent
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulation IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob EINECS: E ELINCS: E CAS: Cher LC50: Lett DBT: Pers	Irres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. ons and acronyms: ord européen sur le transport des marchandises dangereuses par Route (European Agreement of the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) rmational Maritime Code for Dangerous Goods mational Air Transport Association rmational Civil Aviation Organisation bally Harmonised System of Classification and Labelling of Chemicals European List of Notified Chemical Substances incal Abstracts Service (division of the American Chemical Society) tal concentration, 50 percent istent, Bioaccumulative and Toxic
product featu • Relevant p EUH066 H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco concerning RID: Règle (Regulatio IMDG: Inte IATA: Inte IATA: Inte ICAO: Inte GHS: Glob EINECS: E ELINCS: E CAS: Chel LC50: Lett LD50: Lett D50: Lett	Irres and shall not establish a legally valid contractual relationship. hrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int protection department. <i>ons and acronyms:</i> ord européen sur le transport des marchandises dangereuses par Route (European Agreement g the International Carriage of Dangerous Goods by Road) ment international Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) rmational Maritime Code for Dangerous Goods rnational Air Transport Association rnational Civil Aviation Organisation hally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances Luropean List of Notified Chemical Substances mical Abstracts Service (division of the American Chemical Society) hal dose, 50 percent