

*

Reviewed on: 30/06/2021 Printing date: 30/06/2021

SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier Trade name: MOTIVO ENDURO 2090 Article number / Safety Data Sheet: 259000 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 Further information obtainable from: . Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Void 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Void Signal word Void Hazard statements EUH208 Contains BENZOTRIAZOL DERIVATIVES Index no. 607-176-00-3. May produce an allergic reaction. EUH210 Safety data sheet available on request. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 03: Composition/information on ingredients • 3.2 Chemical characterization: Mixtures Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: **CAS Number** % 111-76-2 2-butoxyethanol 1,00- 5,00 EC number: 203-905-0 Record number 01-2119475108-36 Acute Tox. 4 - H302, Acute Tox. 4 -

(continued on page 2)



Reviewed on: 30/06/2021 Printing date: 30/06/2021

		(continued of page 1)
	BENZOTRIAZOL DERIVATIVES Index no. 607-176-	0,0015- 0,50
	00-3	
	EC number: 400-830-7	
	Record number 01-0000015075-76	
	🚸 Skin Sens. 1 - H317; 🚸 Aquatic	
	Chronic 2 - H411	
34590-94-8	Dipropylene glycol monomethyl ether	1,00- 5,00
	EC number: 252-104-2	
	Record number 01-2119450011-60	
	substance with a Community workplace	
	exposure limit.	
 Additional info 	rmation:	
For the wordin	g of the listed risk phrases refer to section 16.	

SECTION 04: First aid measures

• 4.1 Description of first aid measures

- After inhalation:
- Supply fresh air; consult doctor in case of complaints. • *After skin contact:*
- Immediately wash with water and soap and rinse thoroughly. • After eye contact:
- Rinse opened eye for several minutes under running water.*After swallowing:* Do not induce vomiting; call for medical help immediately.
- Information for doctor:
 A 2 Most important symptoms and effects, both source and s
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 5.2 Special hazards arising from the substance or mixture
 - Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- Do not inhale explosion gases or combustion gases.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.


SECTION 06: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 6.2 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 In case of seepage into the ground inform responsible authorities.
 Dilute with plenty of water.
 In case of gas release or seepage into the ground inform responsible authorities.
 Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

(continued on page 3)



Reviewed on: 30/06/2021 Printing date: 30/06/2021



iho Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

• General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working.

Be sure to clean skin thoroughly after work and before breaks.

• Respiratory protection: Suitable respiratory protective device recommended. Use suitable respiratory protective device in case of insufficient ventilation.

• Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Impervious gloves



Reviewed on: 30/06/2021 Printing date: 30/06/2021

	(continued of page 3)
 Material o 	aloves
varies fror the glove	tion of the suitable gloves does not only depend on the material, but also on further marks of quality and n manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of material can not be calculated in advance and has therefore to be checked prior to the application. n time of glove material
	break through time has to be found out by the manufacturer of the protective gloves and has to be
Therefore	nined penetration times according to EN 374 part III are not performed under practical conditions. a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. ction: Safety glasses
	ection: Protective work clothing

Appearance	
Appearance:	
Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.
pH-value:	at 20 °C 7,8 - 8,3
Change in condition	
Melting point/freezing point:	0°C
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	at 20 °C 23,0000 mbar
Density:	1,0100 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	at 20 °C 53 - 59 s DIN 4 mm
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions

 - No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

(continued on page 5)



(continued of page 4)

4123603

Reviewed on: 30/06/2021 Printing date: 30/06/2021

PRODUCT : MOTIVO ENDURO 2090

10.5 Incompatible materials:

- No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:

108-65-6 2-methoxy-1-methylethyl acetate

Oral, LD50: 8532 mg/kg (rat) Inhalative, LC50/4h: 35,7 mg/l (rat) Oral, LD50: 5660 mg/kg (rat) Dermal, LD50: 13000 mg/kg (Rabbit) Inhalative, LC50/4h: 6 mg/l (rat) Oral, LD50: 1746 mg/kg (rat) Oral, LD50: 1414 mg/kg (guinea Pig) Dermal, LD50: 2000 mg/kg (rat) Dermal, LD50: 1000 mg/kg (Rabbit) Dermal, LD50: 2000 mg/kg (rat) Oral, LD50: 1000 mg/kg (Rabbit) Dermal, LD50: 2000 mg/kg (guinea Pig) Oral, LD50: 526 mg/kg (rat) Oral, LD50: 8471 mg/kg (rat) Oral, LD50: 14500 mg/kg (rat) Oral, LD50: 5500 mg/kg (rat) Dermal, LD50: 8500 mg/kg (Rabbit) Oral, LD50: 5135 mg/kg (rat) Dermal, LD50: >19000 mg/kg (Rabbit) Oral, LD50: 305 mg/kg (rat) Oral, LD50: 10000 mg/kg (rat) Oral, LD50: 5660 mg/kg (rat) Dermal, LD50: 4000 mg/kg (Rabbit) Oral, LD50: 2000 mg/kg (rat) Dermal, LD50: 2000 mg/kg (rat) Dermal, LD50: 2000 mg/kg (rat) Dermal, LD50: 5660 mg/kg (rat) Dermal, LD50: 4000 mg/kg (Rabbit) Oral, LD50: 2000 mg/kg (rat) Dermal, LD50: 5660 mg/kg (rat) Dermal, LD50: 4000 mg/kg (Rabbit) Oral, LD50: 2000 mg/kg (rat) Dermal, LD50:

107-98-2	1-methoxy-2-propanol
111-76-2	2-butoxyethanol
7447-41-8	lithium chloride
57-13-6	urea
67-68-5	dimethyl sulfoxide
111-90-0	Diethylene glycol monoethyl ether
34590-94-8	Dipropylene glycol monomethyl ether
52-51-7	bronopol (INN)
7631-86-9	silicon dioxide, chemically prepared
112-34-5	2-(2-butoxyethoxy)ethanol
57-55-6	Propylene glycol
 Primarv irritant effe 	ect:

Skin corrosion/irritation

- No irritant effect.
- Serious eye damage/irritation
- No irritating effect.
- Respiratory or skin sensitisation
 No sensitising effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

No further relevant information available.

- 12.2 Persistence and degradability
- No further relevant information available. • Behaviour in environmental systems:
- Denaviour in environmental system
 12.3 Bioaccumulative potential
- No further relevant information available.
- 12.4 Mobility in soil
- No further relevant information available.
- Additional ecological information:
 General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • 12.5 Results of PBT and vPvB assessment

- *PBT*:
- Not applicable.
- vPvB:

(continued on page 6)



Reviewed on: 30/06/2021 Printing date: 30/06/2021

		(continued of page §
Not applic	able. r <i>adverse effects</i>	
	relevant information available.	
No further		
ECTION 1	3: Disposal considerations	
	<u>Disposal considerations</u>	
	e treatment methods	
• European	and swiss waste code	
	FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MF	SII) OF
	S (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES	
	NTING INKS	, 00000000
08 01		
wastes	from MFSU and removal of paint and varnish	
08 01 1	-	
	suspensions containing paint or varnish containing o	rganic
solvent	s or other hazardous substances	
• Uncleane	d packaging:	
Recomme		
	nust be made according to official regulations.	
	nded cleansing agents:	
Water, if n	ecessary together with cleansing agents.	

	5
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
 14.3 Transport hazard class(e 	s)
ADR	
Class	Void
IMDG	
Class	Void
ΙΑΤΑ	
Class	Void
 14.4 Packing group 	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
 14.5 Environmental hazards: 	

Not applicable. **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

• *Transport/Additional information:* Not applicable.

SF

.

(continued on page 7)



(continued of page 6)

4123603

Reviewed on: 30/06/2021 Printing date: 30/06/2021

PRODUCT : MOTIVO ENDURO 2090

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

• Technical instructions (air):

4,53
0,29

• Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

	H302	Harmful if swallowed.		
	H312	Harmful in contact with skin.		
	H315	Causes skin irritation.		
	H317	May cause an allergic skin reaction.		
	H319	Causes serious eye irritation.		
	H332	Harmful if inhaled.		
	H411	Toxic to aquatic life with long lasting effects.		
•	Department is	suing MSDS:		
	Environment p	nvironment protection department.		
•	Abbreviations a	bbreviations and acronyms:		
	ADR: Accord e	uropéen sur le transport des marchandises dangereuses par Route (European Agreement		
	concerning the	International Carriage of Dangerous Goods by Road)		
	DID · Dàglomor	at international concernant le transport des marchandises dangerouses par chemin de for		

concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative • * Data compared to the previous version altered.