

Reviewed on: 25/02/2022 Printing date: 25/02/2022

SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier Trade name: NATURÖL FINISH 1391 Article number / Safety Data Sheet: 139100 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 STOT SE 3 - H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics / Naphtha (petroleum), hydrotreated light Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. (continued on page 2)



Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : NATURÖL FINISH 1391 (continued of page 1) · 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB:
- Not applicable.

	characterization: Mixtures	
Description: Mixture of sub	stances listed below with nonhazardous additions.	
Dangerous co	mponents:	
CAS Number		%
	Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, cyclenes, <2% aromatics EC number: 919-857-5 Record number 01-2119463258-33	40,00- 60,00
64742-47-8	Hydrocarbons, C11-C14 n-alkanes, cyclic, <2% aromatics EC number: 926-141-6 Record number 01-2119456620-43 Asp. Tox. 1 - H304; EUH066	5,00- 10,00
1330-20-7	xylene EC number: 215-535-7 Record number 01-2119488216-32 ♦ Flam. Liq. 3 - H226; ♦ Acute Tox. 4 - H312, Acute Tox. 4 - H332, Skin Irrit. 2 - H315	0,0015- 0,50
64742-49-0	Naphtha (petroleum), hydrotreated light EC number: 927-241-2 Record number 01-2119471843-32	1,00- 5,00

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- . After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(continued on page 3)



(continued of page 2)

2717521

Reviewed on: 25/02/2022 Printing date: 25/02/2022

PRODUCT : NATURÖL FINISH 1391

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
 - Mouth respiratory protective device.
 - Do not inhale explosion gases or combustion gases.
- Additional information
 Cool endangered receptacles with water spray.
 Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 06: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars.
- Inform respective authorities in case of seepage into water course or sewage system.
- In case of seepage into the ground inform responsible authorities.
- In case of gas release or seepage into the ground inform responsible authorities.
 - Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
 - 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 07: Handling and storage

• Handling:

- 7.1 Precautions for safe handling
 Open and handle receptacle with care.
 Take note of emission threshold.
 Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

 Information about fire and explosion protection:
 Keep ignition sources away Do not smoke.
 - Protect against electrostatic charges. Prevent impact and friction.
 - 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements to be met by storerooms and receptacles:
 Description of the original receptacles
 - Store only in the original receptacle.Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep container tightly sealed.



(continued of page 3)

2717521

Reviewed on: 25/02/2022 Printing date: 25/02/2022

1330-BGV

PRODUCT: NATURÖL FINISH 1391

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection

```
· 8.1 Control parameters
· Ingredients with limit values that require monitoring at the workplace:
```

1330-20-7	xylene		
GVI			
Short-t	erm value	442	mg/m3
		100	ppm
Long-te	erm value	221	mg/m3
		50	ppm
ko¶a			

• Ingr

redients w	ith biological limit values:
-20-7	xylene
1,50	mg/l
Biolo	oški uzorak: krv
Vrije	me uzorkovanja: na kraju radne smjene
Kara	kteristični pokazatelj: ksilen
1,50	g/g kreatinina
Biolo	oški uzorak: mokraća
Vrije	me uzorkovanja: na kraju radne smjene
Kara	kteristični pokazatelj: metilhipurna kiselina

• Additional information:

The lists valid during the making were used as basis.

• 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Do not eat or drink while working.

Be sure to clean skin thoroughly after work and before breaks.

Respiratory protection: Suitable respiratory protective device recommended.

Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Impervious gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Safety glasses Body protection: Protective work clothing



Reviewed on: 25/02/2022 Printing date: 25/02/2022

	(continued of page 4)
SECTION 09: Physical and che	
9.1 Information on basic physical and che	
Appearance	
Appearance:	
Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.
Change in condition	
Initial boiling point and boiling range:	149 °C
Flash point:	40 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	201 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	6 Vol %
Vapour pressure:	at 20 °C 3,0000 mbar
Density:	0,9000 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	at 23 °C 18 - 25 s DIN 4 mm

SECTION 10: Stability and reactivity

- 10.1 Reactivity
 - No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials:
- No further relevant information available.
- 10.6 Hazardous decomposition products:
- No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:

1330-20-7 xylene

Oral, LD50: 4300 mg/kg (rat)

Dermal, LD50: 2000 mg/kg (Rabbit)

7631-86-9 silicon dioxide, chemically prepared

(continued on page 6)

4



Reviewed on: 25/02/2022 Printing date: 25/02/2022

		(continued of page
Oral D50 · 10	000 mg/kg (rat)	(bontinaed of page)
 Primary irritant 		
 Skin corrosion, 		
No irritant effe		
 Serious eye da 		
No irritating eff		
	skin sensitisation	
No sensitising		
	on on other hazards	
 Endocrine disr 	upting properties	
None of th	ne ingredients is liste	ed.
SECTION 12:	Ecological information	
 12.1 Toxicity 		
 Aquatic toxicity 		
	vant information available.	
	nce and degradability	
	vant information available.	
Behaviour in	environmental systems:	
 Behaviour in 12.3 Bioaccum 	environmental systems: nulative potential	
 Behaviour in 12.3 Bioaccum No further rele 	environmental systems: nulative potential vant information available.	
 Behaviour in 12.3 Bioaccum No further rele 12.4 Mobility in 	environmental systems: aulative potential vant information available. a soil	
 Behaviour in 12.3 Bioaccum No further rele 12.4 Mobility in No further rele 	environmental systems: aulative potential vant information available. a soil vant information available.	
 Behaviour in 12.3 Bioaccun No further rele 12.4 Mobility ir No further rele Additional eco 	environmental systems: aulative potential vant information available. a soil vant information available. ological information:	
 Behaviour in 12.3 Bioaccun No further rele 12.4 Mobility ir No further rele Additional eco General notes 	environmental systems: nulative potential vant information available. a soil vant information available. plogical information:	
 Behaviour in 12.3 Bioaccun No further rele 12.4 Mobility ir No further rele Additional eco General notes. Water hazard 	environmental systems: nulative potential vant information available. a soil vant information available. ological information: class 1 (German Regulation) (Self	f-assessment): slightly hazardous for water
 Behaviour in 12.3 Bioaccum No further rele 12.4 Mobility ir No further rele Additional ecc General notes: Water hazard Do not allow un 	environmental systems: bulative potential vant information available. a soil vant information available. blogical information: class 1 (German Regulation) (Self ndiluted product or large quantities	f-assessment): slightly hazardous for water s of it to reach ground water, water course or sewage system.
 Behaviour in 12.3 Bioaccum No further rele 12.4 Mobility ir No further rele Additional ecc General notes Water hazard of Do not allow ui 12.5 Results of 	environmental systems: nulative potential vant information available. a soil vant information available. ological information: class 1 (German Regulation) (Self	
 Behaviour in 12.3 Bioaccum No further rele 12.4 Mobility in No further rele Additional eco General notes: Water hazard of Do not allow ui 12.5 Results of PBT: 	environmental systems: pulative potential vant information available. a soil vant information available. plogical information: class 1 (German Regulation) (Self ndiluted product or large quantities of PBT and vPvB assessment	
 Behaviour in 12.3 Bioaccum	environmental systems: pulative potential vant information available. a soil vant information available. plogical information: class 1 (German Regulation) (Self ndiluted product or large quantities of PBT and vPvB assessment	
 Behaviour in 12.3 Bioaccum	environmental systems: nulative potential vant information available. a soil vant information available. ological information: class 1 (German Regulation) (Self ndiluted product or large quantities of PBT and vPvB assessment	
 Behaviour in 12.3 Bioaccum	environmental systems: nulative potential vant information available. a soil vant information available. ological information: class 1 (German Regulation) (Self ndiluted product or large quantities of PBT and vPvB assessment	
 Behaviour in 12.3 Bioaccum No further rele 12.4 Mobility ir No further rele Additional ecc General notes. Water hazard of Do not allow un 12.5 Results of PBT: Not applicable vPvB: Not applicable 12.6 Other ad 	environmental systems: nulative potential vant information available. a soil vant information available. ological information: class 1 (German Regulation) (Self ndiluted product or large quantities of PBT and vPvB assessment	

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Uncleaned packaging: Recommendation:

Disposal must be made according to official regulations.


SECTION 14: Transport information

 14.1 UN-Number 	
ADR	UN1263
IMDG	UN1263
ΙΑΤΑ	UN1263
• 14.2 UN proper shipping nan	ne
ADR	1263 PAINT
IMDG	PAINT
ΙΑΤΑ	PAINT
 14.3 Transport hazard class(ADR 	es)
Class	3 Flammable liquids.

(continued on page 7)



Reviewed on: 25/02/2022 Printing date: 25/02/2022



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
None of the ingredients is listed.
REGULATION (EU) 2019/1148

(continued on page 8)

*



Reviewed on: 25/02/2022 Printing date: 25/02/2022

	(antinued of more
Anney I	continued of page 3) RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under -
Article 5	
	of the ingredients is listed.
	- REPORTABLE EXPLOSIVES PRECURSORS
None	of the ingredients is listed.
	ATION (EC) No 1907/2006 ANNEX XVII
Condi	tions of restriction: 3, 40
 National 	l regulations:
Technic	al instructions (air):
 Class S 	
III	9,32
II	0,45
- Motorb	
	azard class: azard class 1 (Self-assessment): slightly hazardous for water.
 15.2 Ch 	emical safety assessment:
A Chem	ical Safety Assessment has not been carried out.
SECTION	16: Other information
This inform	nation is based on our present knowledge. However, this shall not constitute a guarantee for any specific
product fe	atures and shall not establish a legally valid contractual relationship.
product fe • Relevar	atures and shall not establish a legally valid contractual relationship.
	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking.
• Relevar EUH066 H226	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour.
• Relevar EUH066 H226 H304	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways.
• Relevar EUH066 H226 H304 H312	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin.
 Relevar EUH066 H226 H304 H312 H315 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation.
• Relevar EUH066 H226 H304 H312 H315 H332	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled.
• Relevar EUH066 H226 H304 H312 H315 H332 H336	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness.
• Relevar EUH066 H226 H304 H312 H315 H332	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled.
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departi 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. ment issuing MSDS:
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departi Environi 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. ment issuing MSDS: ment protection department.
 Relevar EUH066 H304 H312 H315 H332 H336 H412 Departi Environi Abbrevi 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Inent issuing MSDS: ment protection department. ations and acronyms:
 Relevar EUH066 H226 H304 H315 H332 H336 H412 Departi Environi Abbrevi ADR: Ab 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Internet issuing MSDS: ment protection department. <i>ations and acronyms:</i> ccord européen sur le transport des marchandises dangereuses par Route (European Agreement
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departi Environ Abbrevi ADR: Alconcern 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Internet issuing MSDS: ment protection department. <i>ations and acronyms:</i> ccord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road)
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departu Environ Abbrevi ADR: A concern RID: Rè 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Inent issuing MSDS: ment protection department. <i>ations and acronyms:</i> coord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departu Environ Abbrevi ADR: A concern RID: Rè (Regula 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. nent issuing MSDS: ment protection department. <i>ations and acronyms:</i> ccord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par archemin de fer tions Concerning the International Transport of Dangerous Goods by Rail)
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departr Envirom ADR: Ar concern RID: Rè (Regula IMDG: I 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Inent issuing MSDS: ment protection department. <i>ations and acronyms:</i> coord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departi Environi Abbrevi ADR: A concern RID: Rè (Regula IMDG: I IATA: Ir 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. ment issuing MSDS: ment protection department. <i>ations and acronyms:</i> ccord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Rail) nternational Maritime Code for Dangerous Goods ternational Air Transport Association
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departi Environi Abbrevi ADR: Ac concern RID: Rê (Regula IMDG: I IATA: Ir ICAO: II GHS: G 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. therm fissuing MSDS: ment protection department. ations and acronyms: coord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international Concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Rail) nternational Maritime Code for Dangerous Goods ternational Air Transport Association ternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departi Environi Abbrevi ADR: Acconcern RID: Rè (Regula IMDG: I I ATA: Ir ICAO: II GHS: G EINECS 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Internet issuing MSDS: ment issuing MSDS: ment protection department. <i>ations and acronyms:</i> ccord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Rail) nternational Maritime Code for Dangerous Goods ternational Air Transport Association ternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals E European Inventory of Existing Commercial Chemical Substances
 Relevar EUH066 H304 H312 H315 H332 H336 H412 Departi Environi Abbrevi ADR: A concern RID: Rè (Regula IMDG: I I ATA: Ir ICAO: II GHS: G EINECS ELINCS 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Internet issuing MSDS: ment protection department. ations and acronyms: cocord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Rail) nternational Maritime Code for Dangerous Goods ternational Air Transport Association ternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals : European List of Notified Chemical Substances
 Relevar EUH066 H226 H304 H315 H315 H332 H336 H412 Departi Environi Abbrevi ADR: A concern RID: Rè (Regula IMDG: I IATA: Ir ICAO: Ir GHS: G EINECS ELINCS CAS: C 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Internet issuing MSDS: ment protection department. ations and acronyms: ccord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Road) reternational Maritime Code for Dangerous Goods ternational Maritime Code for Dangerous Goods ternational Air Transport Association ternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals : European List of Notified Chemical Substances teuropean List of Notified Chemical Substances teuroial Abstracts Service (division of the American Chemical Society)
 Relevar EUH066 H226 H304 H312 H315 H332 H336 H412 Departri Environ Abbrevi ADR: Al concern RID: Rè (Regula IMDG: I IATA: Ir ICAO: IL GHS: G EINECS ELINCS CAS: CI LC50: L 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. termet issuing MSDS: ment protection department. ations and acronyms: cocord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Rail) nternational Maritime Code for Dangerous Goods ternational Air Transport Association ternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals : European List of Notified Chemical Substances : European List of Notified Chemical Substances : European List of Notified Chemical Substances
 Relevar EUH066 H226 H304 H312 H315 H315 H332 H336 H412 Departu Environ Abbrevi ADR: Al concern RID: Rè (Regula IMDG: I IATA: Ir ICAO: IL GHS: G EINECS ELINCS CAS: C LC50: L 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. therm function therm f
 Relevar EUH060 H226 H304 H312 H315 H332 H336 H412 Departr Environi Abbrevi ADR: Ac concern RID: Rè (Regula IMDG: I IATA: Ir ICAO: In GHS: G EINECS ELINCS CAS: CI LC50: L D50: L 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. nent issuing MSDS: ment protection department. ations and acronyms: cord européen sur le transport des marchandises dangereuses par Route (European Agreement ing the International Carriage of Dangerous Goods by Road) glement international Carriage of Dangerous Goods by Road) glement international concernant le transport des marchandises dangereuses par chemin de fer tions Concerning the International Transport of Dangerous Goods by Rail) nternational Maritime Code for Dangerous Goods ternational Air Transport Association ternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals : European Inventory of Existing Commercial Chemical Substances : European List of Notified Chemical Substances : European List of Notified Chemical Substances : European List of Notified Chemical Substances : emical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent ethaldose, 50 percent prostent, Bioaccumulative and Toxic
 Relevar EUH060 H226 H304 H312 H315 H332 H336 H412 Departi Environi Abbrevi ADR: Ac concern RID: Rė (Regula IMDG: I IATA: Ir ICAO: Il GHS: G EINECS ELINCS CAS: CI LC50: L LD50: L PBT: Pe vPvB: v 	atures and shall not establish a legally valid contractual relationship. t phrases Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. therm function therm f