

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

01 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**

- *Trade name:*
OWO CLEANER 1505-98

- Article number / Safety Data Sheet:
150500

- **Details of the supplier of the safety data sheet**

- *Manufacturer/Supplier:*
Teknos AG
Industriestrasse 7
LI-9487 Gamprin-Bendern
T +423 375 94 00
F +423 375 94 99

- *Further information obtainable from:*
Product safety department. e-mail address: li-sdb@teknos.com

- *Emergency telephone number:*
Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International)

02 Hazards identification

- *Classification of the substance or mixture*



GHS02

Flammable Liquids - Category 3 - H226 Flammable liquid and vapour.



GHS07

- * Skin Sensitizer - Category 1A - H317 May cause an allergic skin reaction.
- * Specific Target Organ Toxicity - Single Exposure - Category 3 - H336
- * May cause drowsiness or dizziness.



GHS09

- * Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- *Label elements*
- GHS label elements
- Hazard pictograms



GHS02



GHS07



GHS09

- Signal word
Warning
- Hazard statements
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.
- * Precautionary statements
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
* P302+P352 IF ON SKIN: Wash with plenty of water.

(continued on page 2)

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98*(continued of page 1)*

- * P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- * P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.











03 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:**

Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS Number		%
64742-82-1	hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclenes, aromatics (2-25) EC number: 919-446-0 Record number 01-2119458049-33  Aspiration Hazard - Category 1 - H304;  Flammable Liquids - Category 3 - H226;  Specific Target Organ Toxicity - Single Exposure - Category 3 - H336;  Aquatic Chronic 2 - H411	40,00- 60,00
9004-95-9	Ethoxylated fatty alcohol  Acute Toxicity (Oral) - Category 3 - H301;  Skin Irritation - Category 2 - H315, Eye Irritation - Category 2A - H319	1,00- 5,00
* 2682-20-4	2-methyl-2H-isothiazol-3-one EC number: 220-239-6  Skin Corrosion - Category 1B - H314, Serious Eye Damage - Category 1 - H318;  Acute Toxicity (Oral) - Category 3 - H301, Acute Toxicity (Dermal) - Category 3 - H311, Acute Toxicity (Inhalation) - Category 2 - H330;  Skin Sensitizer - Category 1A - H317;  Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,0015- 0,50
* Additional information:	For the wording of the listed risk phrases refer to section 16.	

04 First aid measures

- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
- **After swallowing:**
Do not induce vomiting; call for medical help immediately.

CDN

(continued on page 3)

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 2)

05 Firefighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Protective equipment:**
Mouth respiratory protective device.
Do not inhale explosion gases or combustion gases.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

06 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
- * Prevent seepage into sewage system, workpits and cellars.
- * Inform respective authorities in case of seepage into water course or sewage system.
- * In case of seepage into the ground inform responsible authorities.
Dilute with plenty of water.
- * In case of gas release or seepage into the ground inform responsible authorities.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- * Dispose contaminated material as waste according to item 13.
- * Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

07 Handling and storage

- **Handling:**
- * **Precautions for safe handling**
Open and handle receptacle with care.
Take note of emission threshold.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- * Prevent impact and friction.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Not required.
- **Further information about storage conditions:**
Protect from frost.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)**
No further relevant information available.

CDN

(continued on page 4)

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 3)

08 Exposure controls/personal protection

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:**

The lists valid during the making were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Be sure to clean skin thoroughly after work and before breaks.

- **Respiratory protection: Suitable respiratory protective device recommended.**

- **Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Impervious gloves**

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

*

- **Eye protection: Safety glasses**

- **Body protection: Protective work clothing**

09 Physical and chemical properties**Appearance****Appearance:**

Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.

Change in condition

*

Initial boiling point and boiling range:	100 °C
Flash point:	31 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	7 Vol %
Vapour pressure:	at 20 °C 23,0000 mbar
Density:	0,8700 g/cm ³
Solubility in / Miscibility with water:	Not determined.
Viscosity:	
.	Not determined.
.	at 23 °C 18 - 23 s DIN 4 mm
Other information	No further relevant information available.

CDN

(continued on page 5)

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98*(continued of page 4)***10 Stability and reactivity**

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Incompatible materials:**
No further relevant information available.
- **Hazardous decomposition products:**
No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity**
- **LD/LC50 values relevant for classification:**

103-23-1	Di-(2-ethylhexyl) adipate
	Oral, LD50: 9110 mg/kg (rat) Dermal, LD50: 8410 mg/kg (Rabbit) Oral, LD50: 4400 mg/kg (rat) Oral, LD50: 1580 mg/kg (rat) Oral, LD50: 5000 mg/kg (rat) Dermal, LD50: 2500 mg/kg (Rabbit) Oral, LD50: 3700 mg/kg (rat) Oral, LD50: 2490 mg/kg (rat) Dermal, LD50: >5000 mg/kg (Rabbit) Oral, LD50: 3650 mg/kg (rat) Oral, LD50: 4390 mg/kg (rat) Dermal, LD50: >5000 mg/kg (Rabbit) Oral, LD50: 3200 mg/kg (rat) Oral, LD50: 1950 mg/kg (rat)
5989-27-5	(R)-p-mentha-1,8-diene
121-33-5	vanillin
79-92-5	camphene
7785-26-4	l.-alpha.-Pinene
140-11-4	benzyl acetate
99-85-4	gamma-Terpinene
586-62-9	Terpinolen
142-31-4	sodium octyl sulphate
142-87-0	sodium decyl sulphate
- **Primary irritant effect:**
- Skin corrosion/irritation
No irritant effect.
- Serious eye damage/irritation
No irritating effect.
- **Respiratory or skin sensitisation**
No sensitising effects known.

12 Ecological information

- **Aquatic toxicity:**
No further relevant information available.
- **Persistence and degradability**
No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential**
No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:**
Toxic for fish
- **Additional ecological information:**
- **General notes:**
Toxic for aquatic organisms
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.

CDN

(continued on page 6)

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98*(continued of page 5)***13 Disposal considerations**

- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
- **Recommended cleansing agents:**
Water, if necessary together with cleansing agents.

14 Transport information• **UN-Number**

TDG UN1263

IMDG UN1263

IATA UN1263

• **UN proper shipping name**

TDG 1263 PAINT RELATED MATERIAL

IMDG PAINT RELATED MATERIAL (TURPENTINE SUBSTITUTE)

IATA PAINT RELATED MATERIAL

• **Transport hazard class(es)**

TDG (Transport dangerous goods):

TDG class: 3 Flammable liquids.

Label

3



IMDG

Class

3 Flammable liquids.

Label

3



IATA

Class

3 Flammable liquids.

Label

3

• **Packing group**

TDG III

IMDG III

IATA III

• **Environmental hazards:**

Marine pollutant: Yes

• **Special precautions for user**

Warning: Flammable liquids.

Danger code (Kemler): 30

EMS Number: F-E,S-E

• **Transport in bulk according to Annex II of MARPOL73/78 and the IBC***(continued on page 7)*

according to 2001/58 EC

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98*(continued of page 6)*

Not applicable.

• **Transport/Additional information:**

Not applicable.

Excepted quantities (EQ): E1**Limited quantities (LQ)** 5L**Transport category** 3**Tunnel restriction code** D/E**IMDG****Limited quantities (LQ)** 5L**Excepted quantities (EQ)** E1• **UN "Model Regulation":**

UN 1263 PAINT RELATED MATERIAL, 3, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information• **National regulations:**• **Information about limitation of use:**

The above-mentioned manufacturer's information on the handling of isocyanates is contained in the safety data sheet of the product. The European Committee of Paint, Printing Ink and Artists 'Colours Manufacturers' Associations (CEPE) provides the following information on coatings isocyanates: Ready-to-use paints containing isocyanates may have an irritant effect on mucous membranes - especially on breathing organs - and cause hypersensitivity reactions. Inhalation of vapour or spray mist may cause sensitisation. When handling paints containing isocyanates, all precautions required for solvent-containing paints must be followed. Vapour and spray mist in particular should not be inhaled. Persons who are allergic, asthmatic, or prone to respiratory ailments should not work with isocyanate-containing paints.

• **Technical instructions (air):**

• Class Share in %

I

• **Waterhazard class:**

Water hazard class 2 (Self-assessment): hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

	H226	Flammable liquid and vapour.
	H301	Toxic if swallowed.
	H304	May be fatal if swallowed and enters airways.
*	H311	Toxic in contact with skin.
*	H314	Causes severe skin burns and eye damage.
*	H315	Causes skin irritation.
*	H317	May cause an allergic skin reaction.
*	H318	Causes serious eye damage.
*	H319	Causes serious eye irritation.
*	H330	Fatal if inhaled.
*	H336	May cause drowsiness or dizziness.
*	H400	Very toxic to aquatic life.
*	H410	Very toxic to aquatic life with long lasting effects.
*	H411	Toxic to aquatic life with long lasting effects.

• **Department issuing MSDS:**

Environment protection department.

• **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(continued on page 8)

3005119

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 7)

- ICAO: International Civil Aviation Organisation
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
- * *Data compared to the previous version altered.*