

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

SECTION 01: Identification of the substance/mixture and of the company undertaking

• 1.1 Product identifier

- Trade name:
OWO CLEANER 1505-98
- Article number / Safety Data Sheet:
150500
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation
Coating material

• 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:
Teknos AG
Industriestrasse 7
LI-9487 Gamprin-Bendern
T +423 375 94 00
F +423 375 94 99

- Further information obtainable from:
Product safety department. e-mail address: li-sdb@teknos.com
- 1.4 Emergency telephone number:
Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International)

SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08

STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

- * Skin Sens. 1A - H317 May cause an allergic skin reaction.
- * STOT SE 3 - H336 May cause drowsiness or dizziness.



GHS09

- * Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



GHS08



GHS02



GHS07



GHS09

- Signal word
Danger

(continued on page 2)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 1)

- * Hazard-determining components of labelling:
hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclenes, aromatics (2-25) / 2-methyl-2H-isothiazol-3-one
- * Hazard statements
H372 Causes damage to organs through prolonged or repeated exposure.
H226 Flammable liquid and vapour.
- * H317 May cause an allergic skin reaction.
- * H336 May cause drowsiness or dizziness.
- * H411 Toxic to aquatic life with long lasting effects.
- * Precautionary statements
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
- * P302+P352 IF ON SKIN: Wash with plenty of water.
- * P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- * P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.
- **2.3 Other hazards**
- Results of PBT and vPvB assessment
- PBT:
Not applicable.
- vPvB:
Not applicable.

SECTION 03: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**

- Description:

Mixture of substances listed below with nonhazardous additions.

- Dangerous components:

CAS Number		%
* 8042-47-5	White mineral oil, petroleum EC number: 232-455-8 Record number 01-2119487078-27 ☠ Asp. Tox. 1 - H304	10,00- 25,00
64742-82-1	hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclenes, aromatics (2-25) EC number: 919-446-0 Record number 01-2119458049-33 ☠ STOT RE 1 - H372, Asp. Tox. 1 - H304; ☠ Flam. Liq. 3 - H226; ☠ STOT SE 3 - H336; ☠ Aquatic Chronic 2 - H411	40,00- 60,00
9004-95-9	Ethoxylated fatty alcohol ☠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,00- 5,00
* 2682-20-4	2-methyl-2H-isothiazol-3-one EC number: 220-239-6 ☠ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ☠ Acute Tox. 3 - H301, Acute Tox. 3 - H311, Acute Tox. 2 - H330; ☠ Skin Sens. 1A - H317; ☠ Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,0015- 0,50

- Additional information:

For the wording of the listed risk phrases refer to section 16.

SF

(continued on page 3)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 2)

SECTION 04: First aid measures

- 4.1 *Description of first aid measures*
- **General information:**
- * Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
- * Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
- **After swallowing:**
Do not induce vomiting; call for medical help immediately.
- **Information for doctor:**
- 4.2 *Most important symptoms and effects, both acute and delayed*
No further relevant information available.
- 4.3 *Indication of any immediate medical attention and special treatment needed*
No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 *Extinguishing media*
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 *Special hazards arising from the substance or mixture*
Formation of toxic gases is possible during heating or in case of fire.
- 5.3 *Advice for firefighters*
- **Protective equipment:**
Mouth respiratory protective device.
Do not inhale explosion gases or combustion gases.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 06: Accidental release measures

- 6.1 *Personal precautions, protective equipment and emergency procedures*
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- 6.2 *Environmental precautions:*
- * Do not allow product to reach sewage system or any water course.
- * Prevent seepage into sewage system, workpits and cellars.
- * Inform respective authorities in case of seepage into water course or sewage system.
- * In case of seepage into the ground inform responsible authorities.
Dilute with plenty of water.
- * In case of gas release or seepage into the ground inform responsible authorities.
Do not allow to enter sewers/ surface or ground water.
- 6.3 *Methods and material for containment and cleaning up:*
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- * Dispose contaminated material as waste according to item 13.
- * Ensure adequate ventilation.
- 6.4 *Reference to other sections*
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SF

(continued on page 4)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 3)

SECTION 07: Handling and storage

- **Handling:**
- *7.1 Precautions for safe handling*
- * Open and handle receptacle with care.
Take note of emission threshold.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- *Information about fire - and explosion protection:*
- * Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Prevent impact and friction.
- *7.2 Conditions for safe storage, including any incompatibilities*
- **Storage:**
- *Requirements to be met by storerooms and receptacles:*
Store only in the original receptacle.
- *Information about storage in one common storage facility:*
Not required.
- *Further information about storage conditions:*
Protect from frost.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)**
No further relevant information available.

SECTION 08: Exposure controls/personal protection

- *8.1 Control parameters*
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- *Additional information:*
The lists valid during the making were used as basis.
- *8.2 Exposure controls*
- **Personal protective equipment:**
- *General protective and hygienic measures:*
The usual precautionary measures are to be adhered to when handling chemicals.
- * Keep away from foodstuffs, beverages and feed.
- * Immediately remove all soiled and contaminated clothing
- * Store protective clothing separately.
Do not eat or drink while working.
Be sure to clean skin thoroughly after work and before breaks.
- *Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Suitable respiratory protective device recommended.*
- *Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves Impervious gloves*
- *Material of gloves*
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- *Penetration time of glove material*
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- * • *Eye protection: Safety glasses*
- *Body protection: Protective work clothing*

SF

(continued on page 5)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 4)

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Appearance:

Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.

Change in condition

* **Initial boiling point and boiling range:** 100 °C

Flash point: 31 °C

Flammability (solid, gas): Not applicable.

Ignition temperature: Undetermined.

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

Explosive properties: Not determined.

Explosion limits:

Lower: Not determined.

Upper: 7 Vol %

Vapour pressure: at 20 °C 23,0000 mbar

Density: 0,8700 g/cm³

Solubility in / Miscibility with

water: Not determined.

Viscosity:

. Not determined.

. at 23 °C 18 - 23 s DIN 4 mm

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
No dangerous reactions known.
- **10.4 Conditions to avoid**
No further relevant information available.
- **10.5 Incompatible materials:**
No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:**
103-23-1 Di-(2-ethylhexyl) adipate

(continued on page 6)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 5)

Oral, LD50: 9110 mg/kg (rat) Dermal, LD50: 8410 mg/kg (Rabbit) Oral, LD50: 4400 mg/kg (rat) Oral, LD50: 1580 mg/kg (rat) Oral, LD50: 5000 mg/kg (rat) Dermal, LD50: 2500 mg/kg (Rabbit) Oral, LD50: 3700 mg/kg (rat) Oral, LD50: 2490 mg/kg (rat) Dermal, LD50: >5000 mg/kg (Rabbit) Oral, LD50: 3650 mg/kg (rat) Oral, LD50: 4390 mg/kg (rat) Dermal, LD50: >5000 mg/kg (Rabbit) Oral, LD50: 3200 mg/kg (rat) Oral, LD50: 1950 mg/kg (rat)

5989-27-5	(R)-p-mentha-1,8-diene
121-33-5	vanillin
79-92-5	camphene
7785-26-4	l.alpha.-Pinene
140-11-4	benzyl acetate
99-85-4	gamma-Terpinene
586-62-9	Terpinolen
142-31-4	sodium octyl sulphate
142-87-0	sodium decyl sulphate

- *Primary irritant effect:*
- Skin corrosion/irritation
No irritant effect.
- Serious eye damage/irritation
No irritating effect.
- *Respiratory or skin sensitisation*
No sensitising effects known.

• **Additional toxicological information:**

* The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

SECTION 12: Ecological information

- **12.1 Toxicity**
- Aquatic toxicity:
No further relevant information available.
- **12.2 Persistence and degradability**
No further relevant information available.
- **Behaviour in environmental systems:**
- **12.3 Bioaccumulative potential**
No further relevant information available.
- **12.4 Mobility in soil**
No further relevant information available.
- **Ecotoxicological effects:**
- *Remark:*
Toxic for fish
- **Additional ecological information:**
- *General notes:*
Toxic for aquatic organisms
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:**
Not applicable.
- **vPvB:**
Not applicable.
- **12.6 Other adverse effects**
No further relevant information available.

SF

(continued on page 7)

4141804

Reviewed on: 23/08/2021
 Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 6)

SECTION 13: Disposal considerations

• **13.1 Waste treatment methods**

• **European and swiss waste code**

08
 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF
 COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
 AND PRINTING INKS

08 01

wastes from MFSU and removal of paint and varnish

08 01 11

waste paint and varnish containing organic solvents or other hazardous
 substances

• **Uncleaned packaging:**

• **Recommendation:**

Disposal must be made according to official regulations.

• **Recommended cleansing agents:**

Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• **14.1 UN-Number**

ADR UN1263

IMDG UN1263

IATA UN1263

• **14.2 UN proper shipping name**

ADR 1263 PAINT RELATED MATERIAL

IMDG PAINT RELATED MATERIAL (TURPENTINE SUBSTITUTE)

IATA PAINT RELATED MATERIAL

• **14.3 Transport hazard class(es)**

ADR

Class 3 Flammable liquids.

Label

3



IMDG

Class 3 Flammable liquids.

Label

3



IATA

Class 3 Flammable liquids.

Label

3



• **14.4 Packing group**

(continued on page 8)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98

(continued of page 7)

ADR	III
IMDG	III
IATA	III
• 14.5 Environmental hazards:	
Marine pollutant:	Yes
• 14.6 Special precautions for user	
Warning: Flammable liquids.	
Danger code (Kemler):	30
EMS Number:	F-E,S-E
• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Not applicable.	
• Transport/Additional information:	
Not applicable.	
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	E1
• UN "Model Regulation":	
UN 1263 PAINT RELATED MATERIAL, 3, III, ENVIRONMENTALLY HAZARDOUS	

SECTION 15: Regulatory information

- * • **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **REGULATION (EC) No 1907/2006 ANNEX XVII**
- * Conditions of restriction: 3, 40
- **National regulations:**
- **Technical instructions (air):**
- Class Share in %
- I
- **Waterhazard class:**
- Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:**
- A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- * H226 Flammable liquid and vapour.
- * H301 Toxic if swallowed.
- * H302 Harmful if swallowed.
- * H304 May be fatal if swallowed and enters airways.
- * H311 Toxic in contact with skin.
- * H314 Causes severe skin burns and eye damage.
- * H315 Causes skin irritation.
- * H317 May cause an allergic skin reaction.
- * H318 Causes serious eye damage.
- * H319 Causes serious eye irritation.
- * H330 Fatal if inhaled.
- * H336 May cause drowsiness or dizziness.
- * H372 Causes damage to organs through prolonged or repeated exposure.

(continued on page 9)

according to 1907/2006/EC, Article 31

4141804

Reviewed on: 23/08/2021

Printing date: 23/08/2021

PRODUCT : OWO CLEANER 1505-98*(continued of page 8)*

- * H400 Very toxic to aquatic life.
- * H410 Very toxic to aquatic life with long lasting effects.
- * H411 Toxic to aquatic life with long lasting effects.

- **Department issuing MSDS:**

Environment protection department.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- * *Data compared to the previous version altered.*