

Reviewed on: 28/06/2021 Printing date: 02/07/2021

•	Product identifier
•	<i>Trade name:</i> PARKETT ÖL POLISH 4584-00
•	Article number / Safety Data Sheet: N4584
	Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99
	Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International)
2	Hazards identification
	Classification of the substance or mixture
	GHS07 Eye Irrit. 2A - H319 Causes serious eye irritation.
•	Acute Tox. 5 - H303 May be harmful if swallowed. H316 Causes mild skin irritation. <i>Label elements</i> GHS label elements Hazard pictograms
	GHS07 Signal word
•	Warning
•	Hazard-determining components of labelling: tenside non-ionic Hazard statements H319 Causes serious eye irritation. H303 May be harmful if swallowed. H316 Causes mild skin irritation. Precautionary statements P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell.



Reviewed on: 28/06/2021 Printing date: 02/07/2021

		(continued of page
03 Composition	on/information on ingredients	
	racterization: Mixtures	
Description:		
Mixture of sub	stances listed below with nonhazardous additions.	
<ul> <li>Dangerous col</li> </ul>	mponents:	
CAS Number		%
8028-48-6	Orange, sweet, extract	0,00- 0,50
	EC number: 232-433-8	
	🚸 Flam. Liq. 3 - H226; 🚸 Skin Irrit.	
	2 - H315, Skin Sens. 1 - H317	
	tenside non-ionic	1,00- 5,00
	🚸 Acute Tox. 3 - H301; 🚸 Skin Irrit.	
	2 - H315, Eye Irrit. 2A - H319	
2235-54-3	ammonium dodecyl sulphate	1,00- 5,00
	< Eye Dam. 1 - H318; 🚸 Skin Irrit. 2	
	- H315	
39354-45-5	Disodium mono alkyl ether sulphosuccinate	1,00- 5,00
	Eye Dam. 1 - H318	,

### 04 First aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints. *After skin contact:* 

- Immediately wash with water and soap and rinse thoroughly. *After eye contact:*
- Rinse opened eye for several minutes under running water.
- After swallowing:
- Do not induce vomiting; call for medical help immediately.

## 05 Firefighting measures

 Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

- Protective equipment: Mouth respiratory protective device. Do not inhale explosion gases or combustion gases.
   Additional information Cool endangered receptacles with water spray.
  - Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 06 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform representing outpartition are an equipment into water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(continued on page 3)



Reviewed on: 28/06/2021 Printing date: 02/07/2021

#### PRODUCT : PARKETT ÖL POLISH 4584-00

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 07 Handling and storage

- Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
  Information about fire - and explosion protection: No special measures required.
  Storage:
  Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
  Information about storage in one common storage facility: Not required.
  Further information about storage conditions: Protect from frost. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Specific end use(s)
- No further relevant information available.

## 08 Exposure controls/personal protection

- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information:
- The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Be sure to clean skin thoroughly after work and before breaks.
   Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the
  preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the
  preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates
  of diffusion and the degradation Impervious gloves
- Material of gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- Eye protection: Safety glasses
- Body protection: Protective work clothing

Liquid	
According to product specifica	
Characteristic Characteristic	
-	According to product specifica

(continued of page 2)



Reviewed on: 28/06/2021 Printing date: 02/07/2021

# PRODUCT : PARKETT ÖL POLISH 4584-00 (continued of page 3)

Odour threshold:	Not determined.
Change in condition	
Boiling point/Boiling range:	100 °C
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	1,0040 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	at 23 °C
Other information	No further relevant information available.

# 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
   Incompatible materials:
- No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- Acute toxicity:
- · LD/LC50 values relevant for classification:
- 8028-48-6 Orange, sweet, extract
- Oral, LD50: >5700 mg/kg (rat) Dermal, LD50: >5000 mg/kg (rat) Dermal, LD50: >2000 mg/kg (Rabbit)
- Primary irritant effect:
- on the skin:
- No irritant effect.
- on the eye:
- No irritating effect.
- Sensitization:
- No sensitising effects known.

# 12 Ecological information

- Aquatic toxicity:
- No further relevant information available.
- Persistence and degradability
- No further relevant information available. • *Behaviour in environmental systems:*
- Bioaccumulative potential
- No further relevant information available. *Additional ecological information:*

(continued on page 5)



Reviewed on: 28/06/2021 Printing date: 02/07/2021



General notes:

(continued of page 4)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

# 13 Disposal considerations

- · Waste treatment methods
- European and swiss waste code

   07
   WASTES FROM ORGANIC CHEMICAL PROCESSES
   07 06
   wastes from the MFSU of fats, grease, soaps, detergents, disinfectants
   and cosmetics
   07 06 01
   aqueous washing liquids and mother liquors

#### Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

- Recommended cleansing agents: Water, if necessary together with cleansing agents.

# 14 Transport information

<ul> <li>UN-Number</li> </ul>		
ADR	Void	
IMDG	Void	
ΙΑΤΑ	Void	
• UN proper shipping n	ame	
ADR	Void	
IMDG	Void	
ΙΑΤΑ	Void	
<ul> <li>Transport hazard clas</li> <li>ADR</li> </ul>	s(es)	
Class	Void	
IMDG		
Class	Void	
ΙΑΤΑ		
Class	Void	
<ul> <li>Packing group</li> </ul>		
ADR	Void	
IMDG	Void	
IATA	Void	
<ul> <li>Environmental hazard Not applicable.</li> <li>Transport in bulk acc Not applicable.</li> <li>Transport/Additional Not applicable.</li> </ul>	ording to Annex II of MARPOL73/78 and the IBC	C Code



(continued of page 5)

#### 3643309

Reviewed on: 28/06/2021 Printing date: 02/07/2021

## PRODUCT : PARKETT ÖL POLISH 4584-00

## 15 Regulatory information

#### National regulations:

• Classification according to VbF:

-

Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed. H315 Causes skin irritation.
- H315 Causes skin initiation.
- H317May cause an allergic skin reaction.H318Causes serious eye damage.
- H319 Causes serious eye damage.
- H319 Gauses serious eye irrita

#### • Department issuing MSDS:

Environment protection department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids,

- Austria)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- \* Data compared to the previous version altered.