

Reviewed on: 14/01/2022 Printing date: 14/01/2022

	dentification of the substance/mixture an	d of the company
<u>L</u>	Indertaking	
• 1.1 Product ide	entifier	
• Trade name: PARKETTGRU	ND 4510-00	
<ul> <li>Article number / 451000</li> </ul>	Safety Data Sheet:	
	entified uses of the substance or mixture and uses advised a le substance / the preparation l	against
<ul> <li>1.3 Details of ta</li> <li>Manufacturer/S Teknos AG Industriestrasse LI-9487 Gampri T +423 375 94 9 F +423 375 94 9</li> </ul>	7 n-Bendern 00	
	tion obtainable from: lepartment. e-mail address: li-sdb@teknos.com	
<ul> <li>1.4 Emergency</li> </ul>	telephone number:	
Swiss Toxicolog	ical Information Centre, CH-8032 Zürich Emergency telepho	one: +41 (0)44 251 51 51 (International)
SECTION 02: H	lazards identification	
<ul> <li>Classification ad Void</li> <li>2.2 Label element</li> </ul>	ling to Regulation (EC) No 1272/2008	
Void <ul> <li>Signal word</li> </ul>		
	nts ns 1,2-benzisothiazol-3(2H)-one. May produce an allergic	
reaction. EUH210 Safety	data sheet available on request.	
<ul> <li>2.3 Other haza</li> </ul>		
• PBT:	and VFVD assessment	
Not applicable. • vPvB:		
Not applicable.		
SECTION 03: 0	Composition/information on ingredients	
<ul> <li>Description:</li> </ul>	<i>haracterization: Mixtures</i> ances listed below with nonhazardous additions.	
Dangerous corr	nonente.	
CAS Number	ponona.	%
34590-94-8	Dipropylene glycol monomethyl ether EC number: 252-104-2	1,00- 5,00
	Record number 01-2119450011-60	
	substance with a Community workplace	
	exposure limit.	
57-55-6	Propylene glycol	1,00- 5,00



Reviewed on: 14/01/2022 Printing date: 14/01/2022

	PRODUCT :	PARKETTGRUND 4510-00	
			(continued of page 1)
		EC number: 200-338-0	
		Record number 01-2119456809-23	
r	2634-33-5	1,2-benzisothiazol-3(2H)-one	0,0015- 0,50
r		EC number: 220-120-9	
		🧇 Eye Dam. 1 - H318; 🚸 Acute Tox. 4	
,		- H302, Skin Irrit. 2 - H315, Skin Sens. 1 -	
,		H317; 🔶 Aquatic Acute 1 - H400	
ł	<ul> <li>Additional For the work</li> </ul>	•	

# SECTION 04: First aid measures

• 4.1 Description of first aid measures

- After inhalation:
- Supply fresh air; consult doctor in case of complaints. *After skin contact:*
- Immediately wash with water and soap and rinse thoroughly. *After eye contact:*
- Rinse opened eye for several minutes under running water.
- After swallowing:
- Do not induce vomiting; call for medical help immediately.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

# SECTION 06: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
   Ensure adequate ventilation
   6.2 Environmental precautions:
   Do not allow product to reach sewage system or any water course.
   Inform respective authorities in case of seepage into water course or sewage system.
   In case of seepage into the ground inform responsible authorities.
   Dilute with plenty of water.
   In case of gas release or seepage into the ground inform responsible authorities.
   Do not allow to enter sewers/ surface or ground water.
   6.3 Methods and material for containment and cleaning up:
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   6.4 Reference to other sections
  - See Section 7 for information on safe handling.

(continued on page 3)



(continued of page 2)

#### 4051709

\*

Reviewed on: 14/01/2022 Printing date: 14/01/2022

### PRODUCT : PARKETTGRUND 4510-00

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 07: Handling and storage

- Handling:
- 7.1 Precautions for safe handling
- Open and handle receptacle with care.
- Information about fire and explosion protection: Prevent impact and friction.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
   Store in cool, dry conditions in well sealed receptacles.
   Protect from heat and direct sunlight.
- 7.3 Specific end use(s)
- No further relevant information available.

#### SECTION 08: Exposure controls/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: Dipropylene glycol monomethyl ether 34590-94-8 HTP Long-term value 310 mg/m3 50 ppm iho Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Be sure to clean skin thoroughly after work and before breaks. Respiratory protection: Suitable respiratory protective device recommended. Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Impervious gloves Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Eye protection: Safety glasses Body protection: Protective work clothing



Reviewed on: 14/01/2022 Printing date: 14/01/2022

	(continued of page 3
SECTION 09: Physical and che	mical properties
9.1 Information on basic physical and che	emical properties
Appearance	
Appearance:	
Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.
pH-value:	at 20 °C 6,8 - 7,5
Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	at 20 °C 23,0000 mbar
Density:	1,0300 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	at 23 °C 12 - 13 s DIN 4 mm

# SECTION 10: Stability and reactivity

- 10.1 Reactivity
- No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications. • 10.3 Possibility of hazardous reactions
- No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials:
- No further relevant information available.
- 10.6 Hazardous decomposition products:
- No dangerous decomposition products known.

SF

(continued on page 5)



Reviewed on: 14/01/2022 Printing date: 14/01/2022

PRODUCT :	PARKETTGRUND 4510-00
	(continued of page 4
SECTION 1	I: <u>Toxicological information</u>
	nation on toxicological effects
Acute tox	icity alues relevant for classification:
34590-94-8	Dipropylene glycol monomethyl ether
Oral, LD50 20800 mg/ (rat) Inhala	tive, LC50/4h: 35,7 mg/l (rat) Oral, LD50: 5660 mg/kg (rat) Dermal, LD50: 4000 mg/kg (rat) Oral, LD50: 8532 mg/kg tive, LC50/4h: 35,7 mg/l (rat) Oral, LD50: 5660 mg/kg (rat) Dermal, LD50: 13000 mg/kg (Rabbit) LC50/4h: 6 mg/l (rat)
57-55-6	Propylene glycol
112-34-5	2-(2-butoxyethoxy)ethanol
108-65-6	2-methoxy-1-methylethyl acetate
No irritatin • Respirator No sensitis	sion/irritation effect. g effect. g effect. y or skin sensitisation sing effects known.
The produc Guidelines • 11.2 Inform • Endocrine	I toxicological information: tt is not subject to classification according to the calculation method of the General EU Classification for Preparations as issued in the latest version. mation on other hazards disrupting properties the ingredients is listed.
<ul> <li>12.2 Persi No further</li> <li>Behaviou</li> <li>12.3 Bioac No further</li> <li>12.4 Mobil No further</li> <li>12.4 Mobil No further</li> <li>4 Additiona</li> <li>General no Water haz Do not allo</li> <li>12.5 Resu</li> <li>PBT:</li> </ul>	relevant information available. I ecological information: otes: ard class 1 (German Regulation) (Self-assessment): slightly hazardous for water w undiluted product or large quantities of it to reach ground water, water course or sewage system. Its of PBT and vPvB assessment
SECTION 1	3: Disposal considerations
• 13.1 Wast	e treatment methods
<ul> <li>European</li> </ul>	and swiss waste code
08 MASTES	
COATING	FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF S (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS

wastes from MFSU and removal of paint and varnish

(continued on page 6)



Reviewed on: 14/01/2022 Printing date: 14/01/2022

	PRODUCT : PARKETTGRUND 4510-00
*	(continued of page 5)
*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
	Incleaned nackaging

- Uncleaned packaging:
  Recommendation:
- Disposal must be made according to official regulations.
- Recommended cleansing agents:
- Water, if necessary together with cleansing agents.

SECTION 14:	Transport information

• 14.1 UN-Number	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
• 14.2 UN proper shipping name	)
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
<ul> <li>14.3 Transport hazard class(es ADR</li> </ul>	5)
Class	Void
IMDG	
Class	Void
ΙΑΤΑ	
Class	Void
<ul> <li>14.4 Packing group</li> </ul>	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
• 14.5 Environmental hazards:	

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

• Transport/Additional information: Not applicable.

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
   DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed. • REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
  - National regulations:
  - Technical instructions (air):

•	Class Share in %	
	I	1 <b>,</b> 70
	III	1,20

\*

\*

\*

\*



(continued of page 6)

4051709

\*

\*

Reviewed on: 14/01/2022 Printing date: 14/01/2022

### PRODUCT : PARKETTGRUND 4510-00

• Waterhazard class:

- Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life. Department issuing MSDS: Environment protection department. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative \* Data compared to the previous version altered.