

Reviewed on: 26/11/2021 Printing date: 26/11/2021

SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier Trade name: **RENSA WOOD CARE OIL 1413** Article number / Safety Data Sheet: N1410PS 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material • 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 STOT SE 3 - H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics / Naphtha (petroleum), hydrotreated light Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

(continued on page 2)



Reviewed on: 26/11/2021 Printing date: 26/11/2021

PRODUCT :	RENSA WOOD CARE OIL 1413	
• 2.3 Other	hazards	(continued of page 1)

- Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB:
- Not applicable.

	SECTION 03:	Composition/information on ingredients	
	Description:	characterization: Mixtures stances listed below with nonhazardous additions.	
	 Dangerous col 	mponents:	
*	CAS Number		%
		Hydrocarbons, C9-C11, n-alkanes, iso-	60,00- 90,00
		alkanes, cyclenes, <2% aromatics	
		EC number: 919-857-5	
		Record number 01-2119463258-33	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226; 🚸 STOT SE 3 - H336	
*	1330-20-7	xylene	0,0015- 0,50
*		EC number: 215-535-7	
*		Record number 01-2119488216-32	
*		🚸 Flam. Liq. 3 - H226; 🚸 Acute Tox.	
*		4 - H312, Acute Tox. 4 - H332, Skin Irrit. 2	
*		- H315	
*	64742-49-0	Naphtha (petroleum), hydrotreated light	1,00- 5,00
*		EC number: 927-241-2	
*		Record number 01-2119471843-32	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 STOT SE 3 - H336; Aquatic	
*		Chronic 3 - H412	
*	Additional info For the wording	rmation: g of the listed risk phrases refer to section 16.	

SECTION 04: First aid measures

• 4.1 Description of first aid measures

- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. • *After eye contact:*
- Rinse opened eye for several minutes under running water.
- After swallowing:
- Do not induce vomiting; call for medical help immediately.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(continued on page 3)



Reviewed on: 26/11/2021 Printing date: 26/11/2021

	(continued of page a
SECTION (5: Firefighting measures
 Suitable CO2, pow For safe Water wit 5.2 Spec Formation 5.3 Advid Protective Mouth res Do not in Addition Cool ends 	guishing media extinguishing agents: der or water spray. Fight larger fires with water spray or alcohol resistant foam. y reasons unsuitable extinguishing agents: in full jet al hazards arising from the substance or mixture of toxic gases is possible during heating or in case of fire. e for firefighters e equipment: piratory protective device. hale explosion gases or combustion gases. al information ingered receptacles with water spray. ntaminated fire fighting water separately. It must not enter the sewage system.
SECTION (6: Accidental release measures
Wear pro Ensure a O control Prevent s Inform re- In case o Do not all G.3 Meth Absorb w Dispose o Ensure a G.4 Refea See Sect See Sect	 In al precautions, protective equipment and emergency procedures ective equipment. Keep unprotected persons away. lequate ventilation pormental precautions: bw product to reach sewage system or any water course. eepage into sewage system, workpits and cellars. pective authorities in case of seepage into water course or sewage system. seepage into the ground inform responsible authorities. gas release or seepage into the ground water. bot o enter sewers/ surface or ground water. bot and material for containment and cleaning up: th liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). ontaminated material as waste according to item 13. lequate ventilation. ence to other sections on 7 for information on personal protection equipment. on 13 for disposal information.
SECTION (7: Handling and storage
Open and Take note Ensure g Informati Keep igni Protect a	: utions for safe handling handle receptacle with care. of emission threshold. nod interior ventilation, especially at floor level. (Fumes are heavier than air). <i>In about fire - and explosion protection:</i> ion sources away - Do not smoke. jainst electrostatic charges. npact and friction.
 Storage: Requiren Store onl Information Not requi Further in Keep corn Store in cornect fr 	tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle. In about storage in one common storage facility: ed. formation about storage conditions: tainer tightly sealed. pool, dry conditions in well sealed receptacles. pom heat and direct sunlight. fic end use(s) relevant information available.



Reviewed on: 26/11/2021 Printing date: 26/11/2021

			(continued of page
ECTION 0	8: Exposure contr	ols/personal protection	
	ol parameters		
	ts with limit values that r	equire monitoring at the workplace:	
1330-20-7	xylene		
WEL			
S	hort-term value	441	mg/m
		100	ppr
L	ong-term value	220	mg/m
		50	ppr
	k; BMGV		
 Ingredient 	s with biological limit value	S:	
1330-20-7	xylene		
BMGV			
6	50 mmol/mol creatinine		
М	edium: urine		
S	ampling time: post shift		
P	arameter: methyl hippurio	c acid	
	information:		
The lists v	alid during the making wer	e used as basis.	
• 8.2 Expos	ure controls		
 Personal 	protective equipment:		
	rotective and hygienic mea	<i>sures:</i> re to be adhered to when handling chemic	nale.
	t or drink while working.	re to be adhered to when nariding chemic	ais.
Be sure to	clean skin thoroughly afte		
 Respirato 	ry protection: Suitable resp	iratory protective device recommended.	
		rial has to be impermeable and resistant to recommendation to the glove material car	
		election of the glove material on considera	
of diffusio	n and the degradation Impe		
Material o		lease week and the second s	alaa ay fuuthay y 1 - C - W
		loes not only depend on the material, but turer. As the product is a preparation of s	
		ted in advance and has therefore to be ch	
 Penetratic 	n time of glove material		
	break through time has to	be found out by the manufacturer of the p	rotective gloves and has to be
observed. The deter	mined penetration times ac	cording to EN 374 part III are not perform	ed under practical conditions
		which corresponds to 50% of the penetrat	
	ction: Safety glasses		
 Body prot 	ection: Protective work clot	ning	
ECTION 0	9: Physical and cl	nemical properties	

Appearance:	
Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.
Change in condition	
Initial boiling point and boiling range:	149 °C
Flash point:	40 °C
	(continued on page 5)



Reviewed on: 26/11/2021 Printing date: 26/11/2021

PRODUCT : RENSA WOOD CARE OIL 1413 (continued of page 4) Flammability (solid, gas): Not applicable. Ignition temperature: > 200 °C

Ignition temperature:	> 200 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	6 Vol %
Vapour pressure:	at 20 °C 3,0000 mbar
Density:	0,8000 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	at 23 °C 10 - 15 s DIN 4 mm
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials:
- No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:
- 96-29-7 2-butanone oxime
- Oral, LD50: 3700 mg/kg (rat) Dermal, LD50: 200-2000 mg/kg (rat) Inhalative, LC50/4h: 20 mg/l (rat) Oral, LD50: 4300 mg/kg (rat) Dermal, LD50: 2000 mg/kg (Rabbit)

* 1330-20-7 xylene
Primary irritant effect:
Skin corrosion/irritation No irritant effect.
Serious eye damage/irritation No irritating effect.
Respiratory or skin sensitisation No sensitising effects known.
11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

*

(continued on page 6)



(continued on page 7)

3531810

Reviewed on: 26/11/2021 Printing date: 26/11/2021


	(continued of page
ECTION 12: Ecologi	
 12.1 Toxicity 	
 Aquatic toxicity: No further relevant inform 	ation available
 12.2 Persistence and de 	
No further relevant inform	
Behaviour in environme	· ·
 12.3 Bioaccumulative pot No further relevant inform 	
 12.4 Mobility in soil 	
No further relevant inform	
Additional ecological in	formation:
 General notes: Water hazard class 1 (Ge 	rman Regulation) (Self-assessment): slightly hazardous for water
	oduct or large quantities of it to reach ground water, water course or sewage system.
 12.5 Results of PBT and 	
PBT: Not applicable	
Not applicable. • vPvB:	
Not applicable.	
12.6 Other adverse effect	
No further relevant inform	ation available.
ECTION 13: Dispose	al considerations
 13.1 Waste treatment m 	ethods
 European and swiss was 	te code
08	
WASTES FROM THE M	ANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
WASTES FROM THE M	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
WASTES FROM THE M COATINGS (PAINTS,	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging:	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and v substances • Uncleaned packaging: • Recommendation:	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging: • Recommendation:	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging: • Recommendation: Disposal must be made a	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish varnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and v substances • Uncleaned packaging: • Recommendation: Disposal must be made a	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish varnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transport • 14.1 UN-Number	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and v substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transpo • 14.1 UN-Number ADR	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish varnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and v substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transport • 14.1 UN-Number ADR IMDG	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transport • 14.1 UN-Number ADR IMDG IATA	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and v substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transport • 14.1 UN-Number ADR IMDG	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transport • 14.1 UN-Number ADR IMDG IATA • 14.2 UN proper shipping	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous ccording to official regulations.
WASTES FROM THE M COATINGS (PAINTS, AND PRINTING INKS 08 01 wastes from MFSU 08 01 11 waste paint and w substances • Uncleaned packaging: • Recommendation: Disposal must be made a ECTION 14: Transport • 14.1 UN-Number ADR IMDG IATA • 14.2 UN proper shipping ADR	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS and removal of paint and varnish arnish containing organic solvents or other hazardous ccording to official regulations.

3 Flammable liquids.

Class



Reviewed on: 26/11/2021 Printing date: 26/11/2021



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
None of the ingredients is listed.
REGULATION (EU) 2019/1148

(continued on page 8)

*



Reviewed on: 26/11/2021 Printing date: 26/11/2021

	(continued of page
• Annex I - F	ESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under
Article 5(3)	
	, the ingredients is listed.
	REPORTABLE EXPLOSIVES PRECURSORS
	the ingredients is listed.
 REGULAT 	ION (EC) No 1907/2006 ANNEX XVII
Conditi	ons of restriction: 3, 40
National r	egulations:
Technical	instructions (air):
 Class Shall 	
III	6,14
I	0,04
II	0,14
Waterhaza	
	ard class 1 (Self-assessment): slightly hazardous for water.
	I Safety Assessment has not been carried out.
	·
ECTION 1	S: Other information
This informat	
	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi
product featu	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship.
	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases
product featureRelevant product feature	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship.
 product featu Relevant p H226 	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour.
product featu • Relevant p H226 H304 H312 H315	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation.
product featu • Relevant p H226 H304 H312 H315 H332	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled.
product featu • Relevant p H226 H304 H312 H315 H332 H336	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness.
product featu • Relevant p H226 H304 H312 H315 H332	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled.
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviati ADR: Acco	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. Int protection department. Int accomptions: Int européen sur le transport des marchandises dangereuses par Route (European Agreement
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviatid ADR: Accc concerning	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> ird européen sur le transport des marchandises dangereuses par Route (European Agreement I the International Carriage of Dangerous Goods by Road)
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviatid ADR: Accc concerning RID: Règle	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> <i>ird</i> européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme • Abpreviati ADR: Acco concerning RID: Règle (Regulation	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> ird européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) iment international concernant le transport des marchandises dangereuses par chemin de fer ins Concerning the International Transport of Dangerous Goods by Rail)
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviatid ADR: Acco concerning RID: Règle (Regulation IMDG: Inte	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international Correnant le transport des marchandises dangereuses par chemin de fer ts Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: According RID: Règle (Regulation IMDG: Intel IATA: Intel	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international Concernant le transport des marchandises dangereuses par chemin de fer its Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: According RID: Règlia (Regulation IMDG: Intel IATA: Intel ICAO: Intel ICAO: Intel	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>Sons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement I the International Carriage of Dangerous Goods by Road) ment international Concernant le transport des marchandises dangereuses par chemin de fer ns Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association rnational Civil Aviation Organisation
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: According RID: Règlaion IMDG: Inter IATA: Inter ICAO: Inter GHS: Glob	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ird européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ts Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association rnational Civil Aviation Organisation ally Harmonised System of Classification and Labelling of Chemicals
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: Acco concerning RID: Règle (Regulation IMDG: Inte IATA: Inter ICAO: Inte GHS: Glob EINECS: E	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ts Concerning the International Transport of Dangerous Goods by Rail) rnational Air Transport Association mational Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals furopean Inventory of Existing Commercial Chemical Substances
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviatia ADR: Acco concerning RID: Règle (Regulation IMDG: Intel IATA: Intel ICAO: Intel GHS: Glob EINECS: E ELINCS: E	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ird européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer ts Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals uropean List of Notified Chemical Substances
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: According RID: Règle (Regulation IMDG: Intel IATA: Intel ICAO: Intel GHS: Glob EINECS: E ELINCS: E CAS: Cher	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>Sons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international Carriage of Dangerous Goods by Road) ment international Concernant le transport des marchandises dangereuses par chemin de fer is Concerning the International Transport of Dangerous Goods by Road) mational Maritime Code for Dangerous Goods national Air Transport Association rnational Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society)
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: According RID: Règle (Regulation IMDG: Intel IATA: Intel ICAO: Intel GHS: Glob EINECS: E ELINCS: E CAS: Cher LC50: Leth	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> ird européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer is Concerning the International Transport of Dangerous Goods by Rail) rnational Air Transport Association rnational Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals iuropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviation ADR: Accor concerning RID: Règle (Regulation IMDG: Intel IATA: Intel ICAO: Intel GHS: Glob EINECS: E ELINCS: E ELINCS: Leth LD50: Leth	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par Route (European Agreement the International concernant le transport of Dangerous Goods by Road) ment international concernant le transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association rmational Civil Aviation Organisation ally Harmonised System of Classification and Labelling of Chemicals furopean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) al concentration, 50 percent al dose, 50 percent
product featu • Relevant p H226 H304 H312 H315 H332 H336 H412 • Departme Environme • Abbreviatid ADR: Acco concerning RID: Règie (Regulation IMDG: Intel IATA: Intel ICAO: Inte GHS: Glob EINECS: E ELINCS: E ELINCS: Lett PBT: Pers	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specifi res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ird européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer is Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association rnational Air Transport Association entional Civil Aviation Organisation ally Harmonised System of Classification and Labelling of Chemicals iuropean List of Notified Chemical Substances uropean List of Notified Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) al concentration, 50 percent al dose, 50 percent stent, Bioaccumulative and Toxic
product featu • Relevant p H226 H304 H315 H332 H336 H412 • Departme Environme • Abbreviatia ADR: Accc concerning RID: Règle (Regulatio) IMDG: Inte IATA: Inter ICAO: Inte GHS: Glob EINECS: E ELINCS: E ELINCS: Cher LC50: Lett DSD: Lett PBT: Pers vPvB: very	ion is based on our present knowledge. However, this shall not constitute a guarantee for any specific res and shall not establish a legally valid contractual relationship. hrases Flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Int issuing MSDS: Int protection department. <i>ons and acronyms:</i> Ind européen sur le transport des marchandises dangereuses par Route (European Agreement the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer is Concerning the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods national Air Transport Association rmational Civil Aviation Organisation ally Harmonised System of Classification and Labelling of Chemicals furopean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) al concentration, 50 percent al dose, 50 percent