Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Malta

# SAFETY DATA SHEET



RENSA WOOD OIL POLISH 4584-00 - All variants

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### **1.1 Product identifier**

: RENSA WOOD OIL POLISH 4584-00 - All variants **Product name** 

1.2 Relevant identified uses of the substance or mixture and uses advised against **Product use** : Cleaner.

### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

### **National contact**

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

### 1.4 Emergency telephone number

### National advisory body/Poison Centre

**Telephone number** : Malta Competition and Consumer Affairs Authority (MCCAA): +356 2395 2000

# SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1, H317

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity	<ul> <li>4.8 percent of the mixture consists of component(s) of unknown acute oral toxicity</li> <li>4.8 percent of the mixture consists of component(s) of unknown acute dermal toxicity</li> <li>4.8 percent of the mixture consists of component(s) of unknown acute inhalation</li> </ul>
	toxicity
Ingredients of unknown	: Contains 4.8% of components with unknown hazards to the aquatic environment

# ecotoxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** 

÷	
	$\langle ! \rangle$

	•			
Signal word	: 📈 arning			
Hazard statements	: Ħ317 - May cause an allergic skin reaction.			
Precautionary statements				
Prevention	: ₱280 - Wear protective gloves. P261 - Avoid breathing vapour.			
Response	<ul> <li>▶ 302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.</li> <li>P362 + P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>			
Date of issue/Date of revision	: 19/02/2025 Date of previous issue : 30/01/2024 Version : 1.01			

# **SECTION 2: Hazards identification**

Storage	1	Not applicable.
Disposal	:	₱501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	:	Contains: 1,2-benzisothiazol-3(2H)-one
Supplemental label elements	:	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	None known.

# **SECTION 3: Composition/information on ingredients**

: Mixture				
Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
-	≤5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	ATE [Oral] = 500 mg/kg	[1]
EC: 218-793-9 CAS: 2235-54-3	≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.1	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 See Section 16 for the full text of the H	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
	Identifiers - EC: 218-793-9 CAS: 2235-54-3 EC: 220-120-9 CAS: 2634-33-5	Identifiers       %         -       ≤5         EC: 218-793-9       ≤3         CAS: 2235-54-3       ≤3         EC: 220-120-9       <0.1	Identifiers         %         Classification           -         ≤5         Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319           EC: 218-793-9 CAS: 2235-54-3         ≤3         Skin Irrit. 2, H315 Eye Irrit. 2, H319           EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6         <0.1	Identifiers%ClassificationSpecific Conc. Limits, M-factors and ATEs- $\leq 5$ Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319ATE [Oral] = 500 mg/kgEC: 218-793-9 CAS: 2235-54-3 $\leq 3$ Skin Irrit. 2, H315 Eye Irrit. 2, H319-EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6 $< 0.1$ Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

4.1 Description of first aid n	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/s	<u>symptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed.
	The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the : In a fire or if heated, a pressure increase will occur and the container may burst. substance or mixture

# **SECTION 5: Firefighting measures**

0	5
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

	Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Date of issue/Date of revision	: 19/02/2025	Date of previous issue	: 30/01/2024	Version	:1.01	4/15
RENSA WOOD OIL POLISH 4584-	-00 - All varia	ants		Label No	94258	3

# SECTION 7: Handling and storage

Advice on general	: Eating, drinking and smoking should be prohibited in areas where this material is
occupational hygiene	handled, stored and processed. Workers should wash hands and face before
	eating, drinking and smoking. Remove contaminated clothing and protective
	equipment before entering eating areas. See also Section 8 for additional
	information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits Product/ingredient name **Exposure limit values** No exposure limit value known. **Biological exposure indices Product/ingredient name Exposure indices** No exposure indices known. : Reference should be made to monitoring standards, such as the following: **Recommended monitoring** European Standard EN 689 (Workplace atmospheres - Guidance for the procedures assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required. **DNELs/DMELs Product/ingredient name** Result

1,2-benzisothiazol-3(2H)-one

**DNEL - General population - Long term - Dermal** 0.345 mg/kg bw/day <u>Effects</u>: Systemic

**DNEL - Workers - Long term - Dermal** 0.966 mg/kg bw/day <u>Effects</u>: Systemic

**DNEL - General population - Long term - Inhalation** 1.2 mg/m<sup>3</sup> <u>Effects</u>: Systemic

**DNEL - Workers - Long term - Inhalation** 6.81 mg/m<sup>3</sup> <u>Effects</u>: Systemic

# **SECTION 8: Exposure controls/personal protection**

### **PNECs**

Not available.

8.2 Exposure controls					
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.				
Individual protection measured	ures de la constante de la const				
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.				
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.				
Skin protection					
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.				
	Recommendations : Wear suitable gloves tested to EN374.				
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm				
	Not recommended polyvinyl alcohol (PVA) gloves				
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.				
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>				
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.				
	Filter type (spray application): A P				
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.				

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.

Date of issue/Date of revision: 19/02/2025Date of previous issueRENSA WOOD OIL POLISH 4584-00 - All variants

: 30/01/2024

# **SECTION 9: Physical and chemical properties**

2

# Initial boiling point and boiling range

Ingredient name		°C	°F	Method	
water		100	212		
Flammability	: Not av	ailable.		+	
Lower and upper explosion limit		Lower: Not applicable. Upper: Not applicable.			
Flash point	: Closed	l cup: >100°C	(>212°F)		
Auto-ignition temperature	: Not av	ailable.			
Decomposition temperature	: Not av	: Not available.			
рН	: 6.5 to	7.5			
Viscosity	: Not av	ailable.			
Solubility(ies)	:				
Not available.					
Solubility in water	: Not av	ailable.			
Partition coefficient: n-octanol/ water	: Not ap	plicable.			
Vapour pressure	:				

	Va	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Relative density	: Not	available.					
Density	: 1 g/	: 1 g/cm <sup>3</sup>					
/apour density	: Not available.						
Particle characteristics							
Median particle size	: Not	applicable.					

### 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

- **Explosive properties** : Not available.
- **Oxidising properties** : Not available.

### 9.2.2 Other safety characteristics

Not applicable.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Product/ingredient name	Result
✓,2-benzisothiazol-3(2H)-one	Rat - Oral - LD50
	1020 mg/kg

**Conclusion/Summary [Product]** : Not available.

### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapours)	Inhalation (dusts and mists) (mg/l)
RENSA WOOD OIL POLISH 4584-00	12500	N/A	N/A	N/A	N/A
Nonionic Surfactant	500	N/A	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21

Skin corrosion/irritation Product/ingredient name mmonium dodecyl sulphate			Result Rabbit - Skin - Severe irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 500 uL
1,2-benzisothiazol-3(2H)-one			Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %
Conclusion/Summary [Product]	:	Not available	
Serious eye damage/eye irritation Product/ingredient name mmonium dodecyl sulphate			Result Rabbit - Eyes - Moderate irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 100 uL
Conclusion/Summary [Product]	:	Not available	
Respiratory corrosion/irritation Not available.			
Conclusion/Summary [Product]	:	Not available	
Respiratory or skin sensitization Not available.			
Skin Conclusion/Summary [Product]	:	Not available	
Respiratory Conclusion/Summary [Product]	:	Not available	
Germ cell mutagenicity Not available.			

# **SECTION 11: Toxicological information**

Conclusion/Summary [Product] : Not available.

### **Carcinogenicity**

Not available.

**Conclusion/Summary [Product]** : Not available.

### **Reproductive toxicity**

Not available.

**Conclusion/Summary [Product]** : Not available.

# Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Specific target organ toxicity (repeated exposure)					
Not available.					
Aspiration hazard					
Not available.					
Information on likely routes	of	<u>exposure</u>			
Not available.					
Potential acute health effect	<u>:S</u>				
Eye contact	4	No known significant effects or critical hazards.			
Inhalation	1	No known significant effects or critical hazards.			
Skin contact	1	May cause an allergic skin reaction.			
Ingestion	1	No known significant effects or critical hazards.			
Symptoms related to the phy	ysi	cal, chemical and toxicological characteristics			
Eye contact	1	No specific data.			
Inhalation	1	No specific data.			
Skin contact	:	Adverse symptoms may include the following: irritation redness			
Ingestion	:	No specific data.			
Delayed and immediate effe	<u>cts</u>	as well as chronic effects from short and long-term exposure			
Short term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Long term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Potential chronic health effe	oct	<u>s</u>			
Not available.					
Conclusion/Summary [Pro	du	ict] : Not available.			
General	1	Since sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.			
Carcinogenicity	:	No known significant effects or critical hazards.			
Mutagenicity	:	No known significant effects or critical hazards.			
Reproductive toxicity	:	No known significant effects or critical hazards.			

# **SECTION 11: Toxicological information**

#### 11.2 Information on other hazards

### **11.2.1 Endocrine disrupting properties**

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 11.2.2 Other information

Not available.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name 2-benzisothiazol-3(2H)-one

### Result

Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - *Onorhynchus Mykiss* 1.9 mg/l [96 hours]

Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - *Daphnia Magna* 3.7 mg/l [48 hours]

### Acute - EC50 - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.36 mg/l [72 hours]

### Acute - NOEC - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.15 mg/l [72 hours]

**Conclusion/Summary [Product]** : Not available.

### 12.2 Persistence and degradability

**Product/ingredient name** 

2-benzisothiazol-3(2H)-one

Result EU 24% [28 days]

### **Conclusion/Summary [Product]** : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
7,2-benzisothiazol-3(2H)-one	-	-	Inherent

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
7,2-benzisothiazol-3(2H)-one	-	3.2	Low

### 12.4 Mobility in soil

#### Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
mmonium dodecyl sulphate 1,2-benzisothiazol-3(2H)-one	3.09 1.86	1234.14 73.142

Results of PMT and vPvM assessment

SECTION 12: Ecological information							
Product/ingredient name	PMT	Р	М	т	vPvM	vP	vM
Monionic Surfactant ammonium dodecyl sulphate		No No	No No	No No	No No	No No	No No
1,2-benzisothiazol-3(2H)-one	No : Not av	No ailable.	No	No	No	No	No

**Conclusion/Summary** 

: The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment

### Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
Monionic Surfactant ammonium dodecyl sulphate 1,2-benzisothiazol-3(2H)-one		No No No	No No No	No No No	No No No	No No No	No No No
Population (EC) No. 1272/20							

### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
Nonionic Surfactant ammonium dodecyl sulphate 1,2-benzisothiazol-3(2H)-one		No No No	No No No	No No No	No No No	No No No	No No No	

#### **Conclusion/Summary Regulation (EC) No. 1272/2008** [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

Not available.

**Conclusion/Summary [Product]** 

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	
Methods of disposal :	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste : catalogue (EWC)	08.01.11
Packaging	
Methods of disposal :	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions :	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# SECTION 14. Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

: Not relevant/applicable due to nature of the product.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### 14.7 Maritime transport in bulk according to IMO instruments

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

### Substances of very high concern

None of the components are listed.

### Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name		%	Designati	on [Usage]			
RENSA WOOD OIL POLIS	≥90	3					
Labelling	:	•	<b>-</b>				
Other EU regulations							
Industrial emissions (integrated pollution prevention and control) - Air	: Listed						
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed						
Explosive precursors	: Not applicat	ole.					
Ozone depleting substand Not listed.	<u>ces (EU 2024/59</u>	<u>0)</u>					
Prior Informed Consent (F Not listed.	PIC) (649/2012/E	<u>U)</u>					
Date of issue/Date of revision	: 19/02/2025	Date of pre	vious issue	: 30/01/2024	Version	: 1.01	12/15

# **SECTION 15: Regulatory information**

Persistent Organic Pollutants Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

# Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

15.2 Chemical safety	1	This product contains substances for which Chemical Safety Assessments are still
assessment		required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Sens. 1, H317	Calculation method

### Full text of abbreviated H statements

<b>H</b> 302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

# **SECTION 16: Other information**

Acute Tox. 2	ACUTE TOXICITY - Category 2	
Acute Tox. 4	ACUTE TOXICITY - Category 4	
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1	
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1	
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1	
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2	
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2	
Skin Sens. 1	SKIN SENSITISATION - Category 1	
Skin Sens. 1A	SKIN SENSITISATION - Category 1A	
Date of issue/ Date of	: 19/02/2025	
revision		
Date of previous issue	: 30/01/2024	
Version	: 1.01	

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 19/02/2025Date of previous issueRENSA WOOD OIL POLISH 4584-00 - All variants

: 30/01/2024

Version : 1.01 15/15 Label No : 94258