Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



SILORA LG

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name : SILORA LG

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use : Filler

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

Telephone number: In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	1	Not applicable.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Contains 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Contains biocidal products for in-can preservation: BIT and C(M)IT/MIT (3:1).
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	

2.3 Other hazards

 Date of issue/Date of revision
 : 20/02/2025
 Date of previous issue
 : 28/12/2022
 Version
 : 2
 1/17

 SILORA LG
 Label No: 108230

SECTION 2: Hazards identification

Product meets the criteria
for PBT or vPvB according
to Regulation (EC) No.
1907/2006, Annex XIIIThis m
vPvB.

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

.2 Mixtures : Mixture					
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
√,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for the full text of the H statements declared	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: C \geq 0.6% Eye Dam. 1, H318: C \geq 0.6% Eye Irrit. 2, H319: 0.06% \leq C < 0.6% Skin Sens. 1, H317: C \geq 0.0015% M [Acute] = 100 M [Chronic] = 100	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures					
Eye contact :	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.				
Inhalation :	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.				
Skin contact :	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.				

Incretion	
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
	s and effects, both acute and delayed
Over-exposure signs/sympt	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising fi	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	 Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident i there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures			
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate person protective equipment.				
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".			
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Date of issue/Date of revision		: 20/02/2025 Date of previous issue : 28/12/2022 Version : 2 3/17			

SECTION 6: Accidental release measures

6.3 Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values			
Feaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Regulation on Limit Values - MAC (Austria, 4/2021) [5-Chlor- 2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m ³ .			
No exposure limit value known.				
No exposure limit value known.				
No exposure limit value known.				
No exposure limit value known.				
Date of issue/Date of revision : 20/02/2025 Date	ate of previous issue : 28/12/2022 Version : 2 4/17			
SILORA LG	Label No : 108230			

Ş	SECTION 8: Exposure controls/personal protection				
L	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	7,2-benzisothiazol-3(2H)-one	DFG MAC-values list (Germany, 7/2023) Skin sensitiser.			
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	No exposure limit value known.				
	Areaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	SUVA (Switzerland, 1/2024) Sensitiser. STEL 15 minutes: 0.4 mg/m³. Form: Inhalable fraction. TWA 8 hours: 0.2 mg/m³. Form: Inhalable fraction.			
	No exposure limit value known.				

Biological	exposure	<u>indices</u>	

Product/ingredient name **Exposure indices** No exposure indices known. No exposure indices known.

SILORA LG				Label No :1708	230
Date of issue/Date of revision	: 20/02/2025	Date of previous issue	: 28/12/2022	Version : 2	5/17
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					

SECTION 8: Exposure	controls/g	personal protection
No exposure indices known.		
No exposure indices known.		
No exposure indices known. Recommended monitoring :		ould be made to monitoring standards, such as the following:
	values and m atmospheres of exposure to (Workplace a for the measu	of exposure by inhalation to chemical agents for comparison with limit reasurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 thmospheres - General requirements for the performance of procedures urement of chemical agents) Reference to national guidance or methods for the determination of hazardous substances will also be
DNELs/DMELs		
Product/ingredient name		Result
7,2-benzisothiazol-3(2H)-one		DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic
		DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic
		DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic
		DNEL - Workers - Long term - Inhalation 6.81 mg/m ³ <u>Effects</u> : Systemic
reaction mass of: 5-chloro-2-m 4-isothiazolin-3-one [EC no. 24 2-methyl-2H-isothiazol-3-one [E 220-239-6] (3:1)	7-500-7] and	DNEL - General population - Long term - Inhalation 0.02 mg/m ³ Effects: Local
		DNEL - Workers - Long term - Inhalation 0.02 mg/m³ <u>Effects</u> : Local
Date of issue/Date of revision	1 20/02/2025	Date of previous issue : 28/12/2022 Version : 2 6/17

SECTION 8: Exposure controls/personal protection

DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - General population - Long term - Oral 0.09 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Short term - Oral 0.11 mg/kg bw/day <u>Effects</u>: Systemic

PNECs

Not available.

8.2 Exposure controls			
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to contaminants.	airborne	
Individual protection measu			
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical product before eating, smoking and using the lavatory and at the end of the workin Appropriate techniques should be used to remove potentially contaminated Wash contaminated clothing before reusing. Ensure that eyewash stations safety showers are close to the workstation location.	g period. d clothing.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.		
Skin protection			
Hand protection	Chemical-resistant, impervious gloves complying with an approved standa be worn at all times when handling chemical products if a risk assessment this is necessary.		
	Recommendations : Wear suitable gloves tested to EN374.		
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm		
	Not recommended polyvinyl alcohol (PVA) gloves		
Body protection	Personal protective equipment for the body should be selected based on the being performed and the risks involved and should be approved by a spect before handling this product.		
Other skin protection	Appropriate footwear and any additional skin protection measures should a selected based on the task being performed and the risks involved and she approved by a specialist before handling this product.		
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that me appropriate standard or certification. Respirators must be used according respiratory protection program to ensure proper fitting, training, and other i aspects of use.	to a	
	Filter type (spray application): A P		
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked ensure they comply with the requirements of environmental protection legis In some cases, fume scrubbers, filters or engineering modifications to the equipment will be necessary to reduce emissions to acceptable levels.	slation.	

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name		°C	°F	Method
water		100	212	
Flammability Lower and upper explosion limit		l ilable. Not applicable. Not applicable.		
Flash point	: Closed	cup: >100°C (>212	2°F)	

Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
рН	:	Not available.
Viscosity	:	Not available.
Solubility(ies)	;	
Not available.		
Solubility in water	:	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.

ŝ,

Vapour pressure

	Vapour Pressure at 20°C			Vapour pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Relative density	: Not	available.			l		
Density	: 0.9	g/cm³					
/apour density	: Not	available.					
Particle characteristics							
Median particle size	: Not	applicable.					

9.2 Other information

9.2.1 Information with regard to physical hazard classesExplosive properties: Not available.

- Oxidising properties
- : Not available.
- ties : Not av

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		
10.4 Conditions to avoid	: No specific data.		
10.5 Incompatible materials	: No specific data.		
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

SECTION 11: Toxicological information

Acute toxicity	
Product/ingredient name	Result
7,2-benzisothiazol-3(2H)-one	Rat - Oral - LD50
	1020 mg/kg
reaction mass of: 5-chloro-2-methyl-	Rat - Oral - LD50
4-isothiazolin-3-one [EC no. 247-500-7] and	53 mg/kg
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<u>Toxic effects</u> : Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lung, Thorax, or Respiration -
	Respiratory depression

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
	450	N/A	N/A	N/A	0.21
	53	50	N/A	0.5	N/A

Skin corrosion/irritation

Product/ingredient name

2-benzisothiazol-3(2H)-one

Result

Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

Human - Skin - Severe irritant Amount/concentration applied: 0.01 %

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Conclusion/Summary [Product] : Not available.

Serious eye damage/eye irritation

Not available.

Conclusion/Summary [Product] : Not available.

Date of issue/Date of revision SILORA LG

. 20,

: 20/02/2025 Date of previous issue

SECTION 11: Toxicological information

Respiratory corrosion/irritation Not available.
Conclusion/Summary [Product] : Not available.
Respiratory or skin sensitization
Not available.
Skin
Conclusion/Summary [Product] : Not available.
Respiratory
Conclusion/Summary [Product] : Not available.
Germ cell mutagenicity Not available.
Conclusion/Summary [Product] : Not available.
Carcinogenicity
Not available.
Conclusion/Summary [Product] : Not available.
Reproductive toxicity
Not available.
Conclusion/Summary [Product] : Not available.
Specific target organ toxicity (single exposure)
Not available.
Specific target organ toxicity (repeated exposure)
Not available.
Aspiration hazard
Not available.
Information on likely routes of exposure
Not available.
Potential acute health effects Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
C C
Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.
Symptoms related to the physical, chemical and toxicological characteristics
Eye contact : No specific data.
Inhalation : No specific data.
Skin contact No specific data.
Ingestion : No specific data.
Delayed and immediate effects as well as chronic effects from short and long-term exposure

: 20/02/2025 Date of previous issue

: 28/12/2022

SECTION 11: Toxicological information

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ets</u>
Not available.	
Conclusion/Summary [Pro	duct] : Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
11.2 Information on other haz	
11.2.1 Endocrine disrupting	properties

Not available.

Conclusion/Summary	[Product]
Conclusion/Summary	[FIUUUUU]

The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name 1,2-benzisothiazol-3(2H)-one

Result

Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - Onorhynchus Mykiss 1.9 mg/l [96 hours]

Acute - EC50

OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - *Daphnia Magna* 3.7 mg/l [48 hours]

Acute - EC50 - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.36 mg/l [72 hours]

Acute - NOEC - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.15 mg/l [72 hours]

Conclusion/Summary [Product] :

: Not available.

12.2 Persistence and degradability Product/ingredient name

7,2-benzisothiazol-3(2H)-one

Result

EU 24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic	half-life	P	notolysis		Biodegra	dability
2-benzisothiazol-3(2H)-one	-		-		Inherent		
2.3 Bioaccumulative potent	ial						
Product/ingredient name	LogPow		B	CF		Potential	
7,2-benzisothiazol-3(2H)-one	-		3.	2	Low		
Somwater partition coefficie	ent						
Product/ingredient name	ent	logKoc			Кос		
		logKoc 1.86			Koc 73.142		
Product/ingredient name		1.86					
,2-benzisothiazol-3(2H)-one		1.86	M			vP	vM

Product/ingredient name	logKoc	Кос
₱,2-benzisothiazol-3(2H)-one	1.86	73.142

Product/ingredient name	РМТ	Р	Μ	т	vPvM	vP	vМ
2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No No	No No	No No	No No	No No	No No

Mobility

: Not available.

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No No	No No		No No	No No	No No

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No No	No No	No No	No No	No No	No No
Conclusion/Summary		The produc	t does not r	neet the crit	eria to he cons	idered as a	PBT or vPv

Conclusion/Summary **Regulation (EC) No. 1272/2008** [CLP]

The product does not meet the criteria to be considered as a PBT or VPVB.

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

SECTION 12: Ecological information

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment metho	ds
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080410
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments : Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Date of issue/Date of revision SILORA LG Date of previous issue

SECTION 15: Regulatory information

None of the components are listed

None of the components are listed.						
Annex XVII - Restrictions on	n th	e manufacture, placing on the market and use of certain dangerous_				
substances, mixtures and a	rtio	<u>cles</u>				
Labelling	1					
Other EU regulations						
Industrial emissions (integrated pollution prevention and control) - Air	:	Not listed				
Industrial emissions (integrated pollution prevention and control) - Water	:	Not listed				
Explosive precursors	:	Not applicable.				
Ozone depleting substance	es	<u>(EU 2024/590)</u>				
Not listed.						
Prior Informed Consent (P	IC)	(649/2012/EU)				
Not listed.						
Persistent Organic Polluta Not listed.	<u>nts</u>	1				
Seveso Directive This product is not controlled National regulations	d ui	nder the Seveso Directive.				
Austria						
Limitation of the use of organic solvents	:	Permitted.				
<u>Belgium</u>						
Czech Republic						
Storage code	:	IV				
<u>Denmark</u>						
Fire class	1	₩ -1				
MAL-code	1	00-1				
Protection based on MAL	:	According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:				
		General: Gloves must be worn for all work that may result in soiling. Apron/ coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.				

In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.

MAL-code: 00-1 Application: When spraying in existing* spray booths, if the operator is outside the spray zone.

- Arm protectors must be worn.

During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.

- Full mask with combined filter, coveralls and hood must be worn.							
Drying: Items for drying/drying ovens that are temporarily placed on such thing rack trolleys, etc, must be equipped with a mechanical exhaust system to preven fumes from wet items from passing through workers' inhalation zone. Polishing: When polishing treated surfaces, a mask with dust filter must be wor When machine grinding, eye protection must be worn. Work gloves must always							
		when machine grinding, eye protection must be worn. Work gloves must always be worn.					
	C	Caution The regulations contain other stipulations in addition to the above.					
	*S	See Regulations.					
List of undesirable substances	: N	ot listed					
<u>Finland</u>							
France							
Reinforced medical surveillance		ct of July 11, 1977 determining the list of activities which require reinforce edical surveillance: not applicable	d				
<u>Germany</u>							
Storage class (TRGS 510)	: 10						
Hazardous incident ordinan							
		er the Germany Hazardous Incident Ordinance.					
Hazard class for water	: 1						
Technical instruction on air	r qua	lity control (TA Luft)					
Number [Class]		Description	%				
5 .2.1		Total dust	42				
5 .2.1 5.2.5		Total dust Organic substances	42 0.035				
5 .2.1		Total dust	42 0.035 0.035				
5.2.1 5.2.5 5.2.5 [I] AOX		Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the	42 0.035 0.035				
5.2.1 5.2.5 5.2.5 [I] AOX Italy	Va	Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the	42 0.035 0.035				
5.2.1 5.2.5 5.2.5 [I] AOX	Va	Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water.	42 0.035 0.035				
5.2.1 5.2.5 5.2.5 [J] AOX Italy D.Lgs. 152/06	va : No : A(Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water.	42 0.035 0.035 AOX				
5.2.1 5.2.5 5.2.5 [I] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy	va : No : A(Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water. ot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe	42 0.035 0.035 AOX				
S.2.1 5.2.5 5.2.5 [] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM)	va : No : A(Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water. ot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe	42 0.035 0.035 AOX				
5.2.1 5.2.5 5.2.5 [I] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway	va : No : A(Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water. ot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe	42 0.035 0.035 AOX				
\$\overline{2}.2.1 5.2.5 5.2.5 [J] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden	va : No : A(ac	Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water. ot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe	42 0.035 0.035 AOX				
5.2.1 5.2.5 5.2.5 [I] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland	va : No : A(ac	Total dust Organic substances Organic substances The product contains organically bound halogens and can contribute to the alue in waste water. of determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe quatic environment. Decontamination effort: A	42 0.035 0.035 AOX				
\$\overline{2}.2.1 5.2.5 5.2.5 [I] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content International regulations Chemical Weapon Convention	va : No : A(ac	Total dust Organic substances Organic substances The product contains organically bound halogens and can contribute to the alue in waste water. of determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe quatic environment. Decontamination effort: A	42 0.035 0.035 AOX				
\$\overline{2}.2.1 5.2.5 5.2.5 [J] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content International regulations	va : No : A(ac	Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water. of determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe quatic environment. Decontamination effort: A	42 0.035 0.035 AOX				
\$\overline{2}.2.1 5.2.5 5.2.5 [I] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content International regulations Chemical Weapon Convention	va : No : A(ac	Total dust Organic substances Organic substances he product contains organically bound halogens and can contribute to the alue in waste water. of determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effe quatic environment. Decontamination effort: A	42 0.035 0.035 AOX				
\$\vec{s}.2.1 5.2.5 5.2.5 [J] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content International regulations Chemical Weapon Convention Not listed. Montreal Protocol	va : No : A(ac	Total dust Organic substances Organic substances The product contains organically bound halogens and can contribute to the alue in waste water. Dot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effequatic environment. Decontamination effort: A Kempt. St Schedules I, II & III Chemicals	42 0.035 0.035 AOX				
F.2.1 5.2.5 5.2.5 [J] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content International regulations Chemical Weapon Convention Not listed. Montreal Protocol Not listed. Stockholm Convention on Per Not listed.	va : No : A(ac	Total dust Organic substances Organic substances The product contains organically bound halogens and can contribute to the alue in waste water. Dot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effequatic environment. Decontamination effort: A Kempt. St Schedules I, II & III Chemicals tent Organic Pollutants	42 0.035 0.035 AOX				
F.2.1 5.2.5 5.2.5 [J] AOX Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content International regulations Chemical Weapon Convention Not listed. Montreal Protocol Not listed. Stockholm Convention on Period Not listed.	va : No : A(ac : E) on Li ersis	Total dust Organic substances De product contains organically bound halogens and can contribute to the slue in waste water. Dot determined. (4) Low hazard for aquatic organisms, may have long-term hazardous effequatic environment. Decontamination effort: A Kempt. st Schedules I, II & III Chemicals tent Organic Pollutants Informed Consent (PIC)	42 0.035 0.035 AOX				

Date of issue/Date of revision SILORA LG

SECTION 15: Regulatory information

Not listed.

15.2 Chemical safety :	This product contains substances for which Chemical Sa
	no en sino el

- assessment
- fety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued vers	sion.
Abbreviations and acronyms: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and 1272/2008] DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Haz N/A = Not available PBT = Persistent, Bioaccumulative PNEC = Predicted No Effect Conce RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bit	ard statement and Toxic entration er

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Full text of classifications [CLP/GHS]

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of revision	: 20/02/2025
Date of previous issue	e : 28/12/2022
Version	: 2

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

