SAFETY DATA SHEET



TELA 3 - All variants

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: TELA 3 - All variants

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

Telephone number: In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and NaPT and EGForm and C(M)IT/MIT (3:1).
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
Date of issue/Date of revision		: 21/02/2025 Date of previous issue : 26/08/2022 Version : 11 1/20
TELA 3 - All variants		Label No : <mark>3</mark> 8814

SECTION 2: Hazards identification

2.3 Other hazards

Product meets the criteria	: This mixture does not contain any substances that are assessed to be a PBT or a
for PBT or vPvB according	vPvB.
to Degulation (EC) No	

to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≤5	Carc. 2, H351 (inhalation)	-	[1] [*]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
2-methyl-2H-isothiazol- 3-one	EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.11 mg/l Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 10 M [Chronic] = 1	[1]
			see Section 16 for the full text of the H statements declared above.		

SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid m	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media			
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fi	re.
Unsuitable extinguishing media	:	None known.	
5.2 Special hazards arising f	ron	the substance or mixture	
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the	ne container may burst.
Hazardous combustion products	-	Decomposition products may include the following materi carbon dioxide carbon monoxide metal oxide/oxides	als:
5.3 Advice for firefighters			
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the there is a fire. No action shall be taken involving any personalitable training.	
Date of issue/Date of revision		: 21/02/2025 Date of previous issue : 26/08/2022	Version : 11 3/20
TELA 3 - All variants			Label No : <mark>3</mark> 8814

SECTION 5: Firefighting measures

Special protective	Fire	-fighters should wear appropriate protective equipment and self-contained
equipment for fire-fighters	brea	athing apparatus (SCBA) with a full face-piece operated in positive pressure
	moo	le. Clothing for fire-fighters (including helmets, protective boots and gloves)
	con	forming to European standard EN 469 will provide a basic level of protection for
	che	mical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

Date of issue/Date of revision TELA 3 - All variants

: 26/08/2022

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient n	me Exposure limit values
reaction mass of: 5-chloro-2-met 4-isothiazolin-3-one [EC no. 247- 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	200-7] and no.2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m³.
2-methyl-2H-isothiazol-3-one	Regulation on Limit Values - MAC (Austria, 4/2021) [5-Chlor- 2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m ³ .
No exposure limit value known.	
1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one	DFG MAC-values list (Germany, 7/2023) Skin sensitiser. DFG MAC-values list (Germany, 7/2023) Skin sensitiser.
No exposure limit value known.	
No exposure limit value known.	
No exposure limit value known.	
Kaolin	NAOSH (Ireland, 4/2024) Notes: Advisory Occupational Exposur Limit Values (OELVs) OELV 8 hours: 2 mg/m ³ . Form: respirable dust.
No exposure limit value known.	

SECTION 8: Exposure controls/personal protection reaction mass of: 5-chloro-2-methyl-SUVA (Switzerland, 1/2024) Sensitiser. 4-isothiazolin-3-one [EC no. 247-500-7] and STEL 15 minutes: 0.4 mg/m³. Form: Inhalable fraction. 2-methyl-2H-isothiazol-3-one [EC no. TWA 8 hours: 0.2 mg/m³. Form: Inhalable fraction. 220-239-6] (3:1) No exposure limit value known. **Biological exposure indices Product/ingredient name Exposure indices** No exposure indices known. Reference should be made to monitoring standards, such as the following: **Recommended monitoring** з. European Standard EN 689 (Workplace atmospheres - Guidance for the procedures assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance Date of issue/Date of revision : 21/02/2025 Date of previous issue : 26/08/2022 Version :11 6/20 **TELA 3 - All variants** Label No :38814

SECTION 8: Exposure controls/personal protection

documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name

1,2-benzisothiazol-3(2H)-one

titanium dioxide

Result

DNEL - General population - Long term - Inhalation 28 μg/m³ <u>Effects</u>: Local

DNEL - Workers - Long term - Inhalation 170 µg/m³ <u>Effects</u>: Local

DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Long term - Inhalation 1.2 mg/m³ <u>Effects</u>: Systemic

DNEL - Workers - Long term - Inhalation 6.81 mg/m³ <u>Effects</u>: Systemic

DNEL - General population - Long term - Inhalation 0.02 mg/m³ <u>Effects</u>: Local

DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local

DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - Workers - Short term - Inhalation 0.04 mg/m³ <u>Effects</u>: Local

DNEL - General population - Long term - Oral 0.09 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Short term - Oral 0.11 mg/kg bw/day Effects: Systemic

DNEL - General population - Long term - Inhalation 0.021 mg/m³ Effects: Local

DNEL - Workers - Long term - Inhalation 0.021 mg/m³ <u>Effects</u>: Local

DNEL - General population - Long term - Oral 0.027 mg/kg bw/day <u>Effects</u>: Systemic

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

2-methyl-2H-isothiazol-3-one

SECTION 8: Exposure controls/personal protection

DNEL - General population - Short term - Inhalation 0.043 mg/m³ <u>Effects</u>: Local

DNEL - Workers - Short term - Inhalation 0.043 mg/m³

<u>Effects</u>: Local

DNEL - General population - Short term - Oral 0.053 mg/kg bw/day <u>Effects</u>: Systemic

PNECs

Not available.

8.2 Exposure controls		
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airb contaminants.	orne
Individual protection meas	ires	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working per Appropriate techniques should be used to remove potentially contaminated clot Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	thing.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a r assessment indicates this is necessary to avoid exposure to liquid splashes, m gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses side-shields.	ists,
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard she worn at all times when handling chemical products if a risk assessment indic this is necessary.	
	Recommendations : Wear suitable gloves tested to EN374.	
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm	
	Not recommended polyvinyl alcohol (PVA) gloves	
Body protection	: Personal protective equipment for the body should be selected based on the ta being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product.	be
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other impo aspects of use.	
	Filter type (spray application): A P	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislatic In some cases, fume scrubbers, filters or engineering modifications to the proc equipment will be necessary to reduce emissions to acceptable levels.	

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

	Ingredient name		°C	°F	Method	
	water		100	212		
F	lammability	: Not ava	ailable.			
	ower and upper explosion mit		Not applica Not applica			
F	lash point	: Closed cup: >100°C (>212°F)				
A	Auto-ignition temperature	: Not available.				
C	Decomposition temperature	Not available.				
p	Н	: 8.2 to 8.7				
V	/iscosity	: Not available.				
\$	olubility(ies)					

Solubility(les)	э.	
Not available.		
Solubility in water	:	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.

ŝ

Vapour pressure

	Va	Vapour Pressure at 20°C			Vapour pressure at 50°		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Relative density	: Not	available.					
Density	: 1.4 g/cm ³						
/apour density	: Not available.						
Particle characteristics							
Median particle size	: Not applicable.						

9.2 Other information

9.2.1 Information with regard to physical hazard classesExplosive properties: Not available.Oxidising properties: Not available.

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity					
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	: The product is stable.				
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	: No specific data.				
10.5 Incompatible materials	: No specific data.				
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.				

SECTION 11: Toxicological information

Acute toxicity	
Product/ingredient name	Result
1,2-benzisothiazol-3(2H)-one	Rat - Oral - LD50
	1020 mg/kg
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Rat - Oral - LD50 53 mg/kg <u>Toxic effects</u> : Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lung, Thorax, or Respiration - Respiratory depression
2-methyl-2H-isothiazol-3-one	Rat - Inhalation - LC50 Dusts and mists 0.11 mg/l [4 hours]

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	450 53	N/A 50	N/A N/A	N/A 0.5	0.21 N/A
2-methyl-2H-isothiazol-3-one	100	300	N/A	N/A	0.11

Skin corrosion/irritation

Product/ingredient name

titanium dioxide

1,2-benzisothiazol-3(2H)-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Result

Human - Skin - Mild irritant Duration of treatment/exposure: 72 hours Amount/concentration applied: 300 ug l

Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

Human - Skin - Severe irritant Amount/concentration applied: 0.01 %

SECTION 11: Toxicological information

Conclusion/Summary [Product] : Not available.
Serious eye damage/eye irritation
Not available.
Conclusion/Summary [Product] : Not available.
Respiratory corrosion/irritation
Not available.
Conclusion/Summary [Product] : Not available.
Respiratory or skin sensitization
Not available.
Skin
Conclusion/Summary [Product] : Not available.
Respiratory
Conclusion/Summary [Product] : Not available.
Germ cell mutagenicity
Not available.
Conclusion/Summary [Product] : Not available.
Carcinogenicity
It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities
leading to significant impairment of particle clearance mechanisms in the lung.
Not available.
Conclusion/Summary [Product] : Not available.
Reproductive toxicity
Not available.
Conclusion/Summary [Product] : Not available.
Specific target organ toxicity (single exposure)
Not available.
Specific target organ toxicity (repeated exposure)
Not available.
Aspiration hazard
Not available.
Information on likely routes of exposure Not available.
Potential acute health effects
Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Pate of issue/Pate of revision + 21/02/2025 Pate of previous issue + 26/08/2022 Version + 11 11/20

: 21/02/2025 Date of previous issue : 26/0

SECTION 11: Toxicological information

Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Symptoms related to the ph	ysical, chemical and toxicological characteristics			
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure			
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Long term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health effe	ects			
Not available.				
Conclusion/Summary [Pro	oduct] : Not available.			
General	: No known significant effects or critical hazards.			
Carcinogenicity	: No known significant effects or critical hazards.			
Mutagenicity	: No known significant effects or critical hazards.			
Reproductive toxicity	: No known significant effects or critical hazards.			

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

titanium dioxide

Result

Acute - LC50 - Marine water Fish - Mummichog - Fundulus heteroclitus >1000000 µg/l [96 hours] Effect: Mortality

Acute - LC50 - Fresh water

Crustaceans - Water flea - Ceriodaphnia dubia - Neonate Age: <24 hours 3 mg/l [48 hours] Effect: Mortality

1,2-benzisothiazol-3(2H)-one

Acute - LC50 - Fresh water

OECD [Fish, Acute Toxicity Test] Fish - Trout - Onorhynchus Mykiss 1.9 mg/l [96 hours]

Acute - EC50

OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - Daphnia Magna

SECTION 12: Ecological inform	nation
	3.7 mg/l [48 hours]
	Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]
	Acute - NOEC - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
2-methyl-2H-isothiazol-3-one	Acute - EC50 - Fresh water US EPA Daphnia - Water flea - <i>Daphnia magna</i> <u>Age</u> : <24 hours 0.18 ppm [48 hours] <u>Effect</u> : Intoxication
	Acute - LC50 - Fresh water US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykis</i> : <u>Weight</u> : 0.73 g 0.07 ppm [96 hours] <u>Effect</u> : Mortality
Conclusion/Summary [Product] : Not	t available.
12.2 Persistence and degradability	

Product/ingredient name	Result
1,2-benzisothiazol-3(2H)-one	EU
	24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
1,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
1,2-benzisothiazol-3(2H)-one	1.86	73.142
2-methyl-2H-isothiazol-3-one	1.74	54.9187

Results of PMT and vPvM assessment

Product/ingredient name	PMT	Р	М	т	vPvM	vP	vM	
titanium dioxide 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:	No No No							
2-methyl-2H-isothiazol-3-one	No							

: 21/02/2025 Date of previous issue

: 26/08/2022

SECTION 12: Ecological information

Mobility

: Not available.

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one	No	No	No	No	No	No	No

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
titanium dioxide 1,2-benzisothiazol-3(2H)-one	No No							
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7]	No							
and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)								
2-methyl-2H-isothiazol-3-one	No							

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	5
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Date of issue/Date of revision	: 21/02/2025 Date of previous issue : 26/08/2022 Version : 11 14/20
TELA 3 - All variants	Label No :38814

SECTION 13: Disposal considerations

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ		
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.		
14.2 UN proper shipping name	-	-	-	-		
14.3 Transport hazard class(es)	-	-	-	-		
14.4 Packing group	-	-	-	-		
14.5 Environmental hazards	No.	No.	No.	No.		

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Labelling	:
Other EU regulations	
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed
Explosive precursors	: Not applicable.
Ozone depleting substan	<u>ces (EU 2024/590)</u>
Not listed.	
Prior Informed Consent (PIC) (649/2012/EU)

Prior Informed Consent (PIC) (649/2012/EU)

SECTION 15: Regulatory information

Not listed.

Persistent Organic Pollutants Not listed

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

<u>Austria</u>

Limitation of the use of : Permitted. organic solvents

Belgium

Book VI carcinogenic agents annex VI.2-1 - VI.2-3

Ingredient name	Status
Silice	Listed
Noirs de charbon	Listed

Czech Republic Storage code : IV Denmark : IV-1

Executive Order No. 1795/2015

Ingredient name	Annex I Section A	Annex I Section B
titanium dioxide	Listed	-

MAL-code : 00-3

Protection based on MAL

: According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:

General: Gloves must be worn for all work that may result in soiling. Apron/ coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.

In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.

MAL-code: 00-3

Application: During downtimes, cleaning and repair in closed facilities, spray booths or cabins, if there is a risk of contact with wet paint or organic solvents. When using scraper or knife, brush, roller, etc, for pre- and post-treatments in cabins or booths of the existing* facility type, if the operator is inside the spray zone.

- Coveralls must be worn.

When spraying in existing* spray booths, if the operator is outside the spray zone.

- Arm protectors and apron must be worn.

During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.

- Air-supplied full mask, coveralls and hood must be worn.

SECTION 15: Regulatory information

		Drying: Items for drying/drying ovens that are temporarily placed on sur rack trolleys, etc, must be equipped with a mechanical exhaust system to fumes from wet items from passing through workers' inhalation zone.	
		Polishing: When polishing treated surfaces, a mask with dust filter must When machine grinding, eye protection must be worn. Work gloves must worn.	
		Caution The regulations contain other stipulations in addition to the abo	ove.
		*See Regulations.	
Restrictions on use		Not to be used by professional users below 18 years of age. See the Na	tional
		Working Environment Authorities Executive Order regarding Young Peo	
List of undesirable substances	:	Not listed	
Carcinogenic waste	:	Waste containers must be labeled: Contains a substance or substances by Danish working environment legislation on cancer risks.	regulated
<u>Finland</u>			
France			
Reinforced medical surveillance	:	Act of July 11, 1977 determining the list of activities which require reinformedical surveillance: not applicable	rced
<u>Germany</u>			
Storage class (TRGS 510)) :	10	
Hazardous incident ordin	anc	<u>e</u>	
This product is not controlle	ed u	nder the Germany Hazardous Incident Ordinance.	
Hazard class for water	:	1	
Technical instruction on a	air c	uality control (TA Luft)	
Number [Class]		Description	%
5.2.1		Total dust	51.3
5.2.5		Organic substances	0.4
5.2.5 [l] 5.2.10		Organic substances Soil polluting substances	0.1 0.075
AOX		The product contains organically bound halogens and can contribute to	
ACA	1.1	value in waste water	
		value in waste water.	
<u>Italy</u>			
<u>Italy</u> D.Lgs. 152/06		value in waste water. Not determined.	
<u>Italy</u>	:		s in aquatic
<u>Italy</u> D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM)	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects	s in aquatic
<u>Italy</u> D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u>	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects	s in aquatic
<u>Italy</u> D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u>	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects	s in aquatic
<u>Italy</u> D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u>	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u>	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u> <u>Chemical Weapon Conven</u>	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A Exempt.	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u> <u>Chemical Weapon Conven</u> Not listed.	:	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A Exempt.	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u> <u>Chemical Weapon Convent</u> Not listed. <u>Montreal Protocol</u> Not listed.	: : :	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A Exempt. List Schedules I, II & III Chemicals	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u> <u>Chemical Weapon Convent</u> Not listed. <u>Montreal Protocol</u> Not listed. <u>Stockholm Convention on</u>	: : :	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A Exempt. List Schedules I, II & III Chemicals	s in aquatic
Italy D.Lgs. 152/06 <u>Netherlands</u> Water Discharge Policy (ABM) <u>Norway</u> <u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u>	: : <u>etion</u>	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A Exempt. List Schedules I, II & III Chemicals sistent Organic Pollutants	s in aquatic
Italy D.Lgs. 152/06 Netherlands Water Discharge Policy (ABM) Norway Sweden Switzerland VOC content nternational regulations Chemical Weapon Convent Not listed. Montreal Protocol Not listed. Stockholm Convention on Not listed.	: : <u>etion</u>	Not determined. A(2) Toxic for aquatic organisms, may have long-term hazardous effects environment. Decontamination effort: A Exempt. List Schedules I, II & III Chemicals sistent Organic Pollutants	:11 17/20

SECTION 15: Regulatory information

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information t	hat has changed from previously issued version.
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Full text of classifications [CLP/GHS]

Acute Tox, 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of	: 21/02/2025
revision	
Date of previous issue	e : 26/08/2022
Version	: 11

Notice to reader

SECTION 16: Other information

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.