Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Malta

SAFETY DATA SHEET



TREND 3 - All variants

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

: TREND 3 - All variants **Product name**

1.2 Relevant identified uses of the substance or mixture and uses advised against **Product use** : Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : Malta Competition and Consumer Affairs Authority (MCCAA): +356 2395 2000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements			
Signal word	:	No signal word.	
Hazard statements	:	No known significant effects or critical hazards.	
Precautionary statements			
Prevention	:	Not applicable.	
Response	:	Not applicable.	
Storage	:	Not applicable.	
Disposal	:	Not applicable.	
Supplemental label elements	:	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and NaPT and EGForm and C(M)IT/MIT (3:1).	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:		
Date of issue/Date of revision		: 20/02/2025 Date of previous issue : 23/08/2022 Version : 2 1/16	
TREND 3 - All variants		Label No :38814	

SECTION 2: Hazards identification

2.3 Other hazards

Product meets the criteria	: This mixture does not contain any substances that are assessed to be a PBT or a
for PBT or vPvB according	vPvB.
to Degulation (EC) No	

to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures Product/ingredient name	: Mixture	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≤5	Carc. 2, H351 (inhalation)	-	[1] [*]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
2-methyl-2H-isothiazol- 3-one	EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.11 mg/l Skin Sens. 1, H317: C \geq 0.0015% M [Acute] = 10 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid m	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.			
Unsuitable extinguishing media	:	None known.			
5.2 Special hazards arising f	ron	the substance or mixture			
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the o	container ma	ay bur	rst.
Hazardous combustion products	:	Decomposition products may include the following materials carbon dioxide carbon monoxide metal oxide/oxides	d.		
5.3 Advice for firefighters					
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the there is a fire. No action shall be taken involving any persor suitable training.			ident if
Date of issue/Date of revision		: 20/02/2025 Date of previous issue : 23/08/2022	Version	:2	3/16
TREND 3 - All variants			Label No	:38814	4

SECTION 5: Firefighting measures

Special protective	1	Fire-fighters should wear appropriate protective equipment and self-contained
equipment for fire-fighters		breathing apparatus (SCBA) with a full face-piece operated in positive pressure
		mode. Clothing for fire-fighters (including helmets, protective boots and gloves)
		conforming to European standard EN 469 will provide a basic level of protection for
		chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

Date of issue/Date of revision TREND 3 - All variants : 20/02/2025 Date of previous issue

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits	
Product/ingredient name	Exposure limit values
No exposure limit value known.	
Biological exposure indices	
Product/ingredient name	Exposure indices
No exposure indices known.	
procedures European Sta assessment of values and m atmospheres of exposure t (Workplace a for the measu documents for required.	hould be made to monitoring standards, such as the following: andard EN 689 (Workplace atmospheres - Guidance for the of exposure by inhalation to chemical agents for comparison with limit reasurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 atmospheres - General requirements for the performance of procedures urement of chemical agents) Reference to national guidance or methods for the determination of hazardous substances will also be
DNELs/DMELs	
Product/ingredient name titanium dioxide	Result DNEL - General population - Long term - Inhalation 28 µg/m³ Effects: Local
	DNEL - Workers - Long term - Inhalation 170 μg/m³ <u>Effects</u> : Local
1,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Inhalation 6.81 mg/m ³ <u>Effects</u> : Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	DNEL - General population - Long term - Inhalation 0.02 mg/m ³ <u>Effects</u> : Local
	DNEL - Workers - Long term - Inhalation 0.02 mg/m³ <u>Effects</u> : Local
	DNEL - General population - Short term - Inhalation 0.04 mg/m ³ Effects: Local
	DNEL - Workers - Short term - Inhalation
Date of issue/Date of revision : 20/02/2025	Date of previous issue : 23/08/2022 Version : 2 5/16

SECTION 8: Exposure contro	ols/personal protection
	0.04 mg/m³ <u>Effects</u> : Local
	DNEL - General population - Long term - Oral 0.09 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Short term - Oral 0.11 mg/kg bw/day <u>Effects</u> : Systemic
2-methyl-2H-isothiazol-3-one	DNEL - General population - Long term - Inhalation 0.021 mg/m ³ <u>Effects</u> : Local
	DNEL - Workers - Long term - Inhalation 0.021 mg/m ³ Effects: Local
	DNEL - General population - Long term - Oral 0.027 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Short term - Inhalation 0.043 mg/m ³ Effects: Local
	DNEL - Workers - Short term - Inhalation 0.043 mg/m ³ <u>Effects</u> : Local

DNEL - General population - Short term - Oral 0.053 mg/kg bw/day <u>Effects</u>: Systemic

PNECs

Not available.

8.2 Exposure controls			
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.		
Individual protection meas	<u>ures</u>		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.		
Skin protection			
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
	Recommendations : Wear suitable gloves tested to EN374.		
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm		
	Not recommended polyvinyl alcohol (PVA) gloves		

Date of issue/Date of revision	: 20/02/2025	Date of previous issue	: 23/08/2022	Version	:2	6/16
TREND 3 - All variants				Label No :	38814	4

SECTION 8: Exposure controls/personal protection

•	• •
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and	:
boiling range	

	Ingredient name	°C	°F	Method
	water	100	212	
F	lammability : Not av	ailable	ł	

Flammability	: Not available.
Lower and upper explosion limit	: Lower: Not applicable. Upper: Not applicable.
Flash point	: Closed cup: >100°C (>212°F)
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
рН	: 8.4 to 8.7
Viscosity	: Not available.
Solubility(ies)	1 · · · · · · · · · · · · · · · · · · ·
Not available.	
Solubility in water	: Not available.
Partition coefficient: n-octanol/ water	: Not applicable.

Vapour pressure

	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
Relative density	: Not	available.				
Density	: 1.4	g/cm³				
apour density	: Not	available.				
Particle characteristics						
te of issue/Date of revision	: 20/02/2	2025 Date of	of previous issue	: 23/08/2022		Version : 2 7/

TREND 3 - All variants

1

SECTION 9: Physical and chemical properties

Median particle size

: Not applicable.

9.2 Other information	
9.2.1 Information with rega	rd to physical hazard classes
Explosive properties	: Not available.
Oxidising properties	: Not available.
9.2.2 Other safety characte	ristics
Not applicable.	
SECTION 10: Stabili	ty and reactivity
40.4 Depetivity	. No exectific test data valated to vegetiv

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on	hazard classes as	defined in Regulation	on (EC) No 1272/2008
		actifica în Regulativ	

Acute toxicity

Product/ingredient na	me
-----------------------	----

1,2-benzisothiazol-3(2H)-one

Result

Rat - Oral - LD50 1020 mg/kg

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Rat - Oral - LD50

53 mg/kg <u>Toxic effects</u>: Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lung, Thorax, or Respiration -Respiratory depression

2-methyl-2H-isothiazol-3-one

Rat - Inhalation - LC50 Dusts and mists 0.11 mg/l [4 hours]

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)		N/A 50	N/A N/A	N/A 0.5	0.21 N/A
2-methyl-2H-isothiazol-3-one	100	300	N/A	N/A	0.11

Skin corrosion/irritation

Product/ingredient name

Result

titanium dioxide	Human - Skin - Mild irritant Duration of treatment/exposure: 72 hours Amount/concentration applied: 300 ug l
1,2-benzisothiazol-3(2H)-one	Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Human - Skin - Severe irritant Amount/concentration applied: 0.01 %
Conclusion/Summary [Product] : Not availa	able.
Serious eye damage/eye irritation Not available.	
Conclusion/Summary [Product] : Not availa	able.
Respiratory corrosion/irritation Not available.	
Conclusion/Summary [Product] : Not availa	able.
Respiratory or skin sensitization Not available.	
Skin Conclusion/Summary [Product] : Not availa	able.
Respiratory Conclusion/Summary [Product] : Not availa	able.
<mark>Germ cell mutagenicity</mark> Not available.	
Conclusion/Summary [Product] : Not availa	able.
Carcinogenicity It has been observed that the carcinogenic hazard leading to significant impairment of particle cleara Not available.	d of this product arises when respirable dust is inhaled in quantities nce mechanisms in the lung.
Conclusion/Summary [Product] : Not availa	able.
<mark>Reproductive toxicity</mark> Not available.	
Conclusion/Summary [Product] : Not availa	able.
<mark>Specific target organ toxicity (single exposure)</mark> Not available.	

: 20/02/2025 Date of previous issue

SECTION 11: Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard	
Not available.	
Information on likely routes	of exposure
Not available.	
Potential acute health effec	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
	nysical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effe	ects as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
Conclusion/Summary [Pr	oduct] : Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
11.2 Information on other ha 11.2.1 Endocrine disrupting Not available.	
Conclusion/Summary [Pr	oduct] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.
11.2.2 Other information Not available.	
SECTION 12: Ecolog	ical information
12.1 Toxicity	
Product/ingredient name	Result
titanium dioxide	Acute - LC50 - Marine water
	Fish - Mummichog - <i>Fundulus heteroclitus</i> >1000000 μg/l [96 hours] <u>Effect</u> : Mortality
	<u>Linoo</u> , monunty
	Acute - LC50 - Fresh water Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate <u>Age</u> : <24 hours
Date of issue/Date of revision	: 20/02/2025 Date of previous issue : 23/08/2022 Version : 2 10/16
TREND 3 - All variants	Label No :38814

SECTION 12: Ecological information				
	3 mg/l [48 hours] <u>Effect</u> : Mortality			
1,2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]			
	Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]			
	Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]			
	Acute - NOEC - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]			
2-methyl-2H-isothiazol-3-one	Acute - EC50 - Fresh water US EPA Daphnia - Water flea - <i>Daphnia magna</i> <u>Age</u> : <24 hours 0.18 ppm [48 hours] <u>Effect</u> : Intoxication			
	Acute - LC50 - Fresh water US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykiss</i> <u>Weight</u> : 0.73 g 0.07 ppm [96 hours] <u>Effect</u> : Mortality			
Conclusion/Summary [Product] : Not availab	le.			
12.2 Persistence and degradability				

Product/ingredient name

1,2-benzisothiazol-3(2H)-one

Result

EU 24% [28 days]

Conclusion/Summary [Product] : Not available.

[Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
	1,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Кос	
1,2-benzisothiazol-3(2H)-one	1.86	73.142	
2-methyl-2H-isothiazol-3-one	1.74	54.9187	

SECTION 12: Ecological information

Results of PMT and vPvM assess	ment
--------------------------------	------

Product/ingredient name	PMT	Р	Μ	т	vPvM	vP	vM
titanium dioxide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one	No	No	No	No	No	No	No
Mobility	: Not av	ailable.					

Mobility

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide 1,2-benzisothiazol-3(2H)-one	No No						
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-	No						
3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-							
3-one [EC no. 220-239-6] (3: 1)							
2-methyl-2H-isothiazol-3-one	No						

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No No No						
2-methyl-2H-isothiazol-3-one	No						

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

: The product does not meet the criteria to be considered as a PBT or vPvB.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ	
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
14.2 UN proper shipping name	-	-	-	-	
14.3 Transport hazard class(es)	-	-	-	-	
14.4 Packing group	-	-	-	-	
14.5 Environmental hazards	No.	No.	No.	No.	

user

- **14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- 14.7 Maritime transport in bulk according to IMO instruments
- : Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Date of issue/Date of revision **TREND 3 - All variants**

: 20/02/2025 Date of previous issue

CTION AF. , information

SECTION 15: Regulatory information				
Labelling	:			
Other EU regulations				
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed			
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed			
Explosive precursors	: Not applicable.			
Ozone depleting substanc	<u>es (EU 2024/590)</u>			
Not listed.				
Prior Informed Consent (P Not listed.	<u>IC) (649/2012/EU)</u>			
Persistent Organic Polluta Not listed.	<u>nts</u>			
Seveso Directive				
This product is not controlled	d under the Seveso Directive.			

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.			
	Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative 	
	Procedure used to derive the electification according to Pergulation (EC) No. 1272/2008 [CL D/CHS]		

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

SECTION 16: Other information

Full text of abbreviated H statements H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes sevice eye damage. H330 Fatal i inhaled. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Corc.2 ACUTE TOXICITY - Catego	SECTION 16: Other information				
H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes sevin skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H351Suspected of causing cancer.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.EUH071Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 10Skin Corr. 1CSKIN CORROSION/IRRITATION - Category 2Skin Corr. 12SKIN CORROSION/IRRITATION - Category 2Skin Scins. 1ASKIN SENSITISATION - Category 2Skin Scins. 1ASKIN SENSITISATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 2Skin Sens. 1ASKIN SENSITIATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 2Skin Sens. 1ASKIN S	Full text of abbreviated H statements				
H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H311Very toxic to aquatic life.H400Very toxic to aquatic life with long lasting effects.EUH071Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Skin Corr. 18SKIN CORROSION/IRRITATION - Category 1Skin Corr. 10SKIN CORROSION/IRRITATION - Category 1Skin Corr. 11SENIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 12SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 10Skin Sens. 1ASKIN SENSITISATION - Category 1Date of issue/ Date of: 20/02/2025revision: 23/08/2022					
H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes serious eye damage.H330Fatal if inhaled.H330Fatal if inhaled.H410Very toxic to aquatic life.H410Very toxic to aquatic life.H410Very toxic to aquatic life.H410Very toxic to aquatic life.H410Very toxic to aquatic life.H411Causes for a corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Skin Corr. 18SKIN CORROSION/IRRITATION - Category 1Skin Corr. 10SKIN CORROSION/IRRITATION - Category 1Skin Corr. 11SENIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1Skin Corr. 12SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1Date of issue/ Date of: 20/02/2025revision: 23/08/2022					
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H315 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Full text of classifications [CLP/GHS] Acute Tox. 2 ACUTE TOXICITY - Category 2 Acute Tox. 3 ACUTE TOXICITY - Category 4 Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 Aquatic Acute 1 SHORT-TERM (CHRONIC) AQUATIC HAZARD - Category 1 Aquatic Chronic 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 Carc. 2 CARCINOGENICITY - Category 2 Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 Skin Corr. 18 SKIN CORROSION/IRRITATION - Category 1C Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of : 20/02/2025 revision : 20/02/2025					
H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H351Suspected of causing cancer.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.EUH071Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1CSkin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of: 20/02/2025revision: 23/08/2022	H314				
H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Full text of classifications [CLP/GHS] Acute Tox. 2 ACUTE TOXICITY - Category 2 Acute Tox. 3 ACUTE TOXICITY - Category 4 Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 Aquatic Chronic 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 Carc. 2 CARCINOGENICITY - Category 2 Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1B Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of : 20/02/2025 revision : 23/08/2022	H315				
H330Fatal if inhaled.H351Suspected of causing cancer.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.EUH071Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 1CSkin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of: 20/02/2025revision: 23/08/2022		May cause an allergic skin reaction.			
H351Suspected of causing cancer.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.EUH071Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 10Skin Corr. 1CSKIN CORROSION/IRRITATION - Category 10Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of: 20/02/2025revision: 23/08/2022					
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.EUH071Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 10Skin Corr. 1CSKIN CORROSION/IRRITATION - Category 10Skin Sens. 1ASKIN SENSITISATION - Category 10Skin Sens. 1ASKIN SENSITISATION - Category 10Skin Sens. 1ASKIN SENSITISATION - Category 10Date of previous issue: 23/08/2022					
H410Very toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.Full text of classifications [CLP/GHS]Acute Tox. 2ACUTE TOXICITY - Category 2 Acute Tox. 3Acute Tox. 3ACUTE TOXICITY - Category 3 Acute Tox. 4Acute Tox. 4ACUTE TOXICITY - Category 4 Aquatic Acute 1Aquatic Chronic 1LONG-TERM (ACUTE) AQUATIC HAZARD - Category 1 Aquatic Chronic 1Carc. 2CARCINOGENICITY - Category 2 Eye Dam. 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1B Skin Corr. 1CSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1ASkin Sens. 1ASKIN SENSITISATION - Category 1ADate of previous issue: 23/08/2022					
EUH071 Corrosive to the respiratory tract. Full text of classifications [CLP/GHS] Acute Tox. 2 ACUTE TOXICITY - Category 2 Acute Tox. 3 ACUTE TOXICITY - Category 3 Acute Tox. 4 ACUTE TOXICITY - Category 4 Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 Aquatic Chronic 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 Carc. 2 CARCINOGENICITY - Category 2 Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1 Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of : 20/02/2025 : 20/02/2025 revision : 23/08/2022					
Full text of classifications [CLP/GHS] Acute Tox. 2 ACUTE TOXICITY - Category 2 Acute Tox. 3 ACUTE TOXICITY - Category 3 Acute Tox. 4 ACUTE TOXICITY - Category 4 Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 Aquatic Chronic 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 Carc. 2 CARCINOGENICITY - Category 2 Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1B Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of : 20/02/2025 revision Date of previous issue : 23/08/2022					
Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1CSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of the second test test test test test test test tes					
Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 2Skin Irrit. 2SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of : 20/02/2025revisionDate of previous issue : 23/08/2022	Full text of classi	ifications [CLP/GHS]			
Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 1CSkin Irrit. 2SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASENSITISATION - Category 1ADate of issue/ Date of: 20/02/2025revision: 23/08/2022	Acute Tox. 2				
Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of jissue/ Date of issue:23/08/2022					
Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 1CSkin Irrit. 2SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of revision: 20/02/2025Date of previous issue: 23/08/2022					
Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 1CSkin Irrit. 2SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of revision: 20/02/2025Date of previous issue: 23/08/2022					
Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 1CSkin Irrit. 2SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1ASKIN SENSITISATION - Category 1ADate of issue/ Date of revision: 20/02/2025Date of previous issue: 23/08/2022					
Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1B Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 1C Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of revision : 20/02/2025 Date of previous issue : 23/08/2022	-				
Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 1C Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of revision : 20/02/2025 Date of previous issue : 23/08/2022	-	• •			
Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of revision : 20/02/2025 Date of previous issue : 23/08/2022	-				
Skin Sens. 1A SKIN SENSITISATION - Category 1A Date of issue/ Date of revision : 20/02/2025 Date of previous issue : 23/08/2022					
revision Date of previous issue : 23/08/2022					
Date of previous issue : 23/08/2022	Date of issue/ Da	ite of : 20/02/2025			
	revision				
Version : 2	Date of previous	issue : 23/08/2022			
	Version	: 2			

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision TREND 3 - All variants : 20/02/2025 Date of previous issue