

Reviewed on: 27/07/2023 Printing date: 27/07/2023


## SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier Trade name: VARIVA AQUA 8770-00 WIPE Article number / Safety Data Sheet: 877000 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 · Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Void 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Void Signal word Void Hazard statements EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3- one, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH210 Safety data sheet available on request. · 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 03: Composition/information on ingredients • 3.2 Chemical characterization: Mixtures Description: Mixture of substances listed below with nonhazardous additions.



		(continued of page 1)
	EC number: 220-120-9	
	🗇 Eye Dam. 1 - H318; 안 Acute Tox. 4	
	- H302, Skin Irrit. 2 - H315, Skin Sens. 1 -	
	H317; 论 Aquatic Acute 1 - H400;	
	Skin Sens. 1; H317: C >= 0,05 %	
1330-20-7	xylene	0,0015- 0,50
	EC number: 215-535-7	
	Record number 01-2119488216-32	
	🚸 Flam. Liq. 3 - H226; ᆥ Acute Tox.	
	4 - H312, Acute Tox. 4 - H332, Skin Irrit. 2	
	- H315	
2682-20-4	2-methyl-2H-isothiazol-3-one	0,00-0,0015
	EC number: 220-239-6	
	🍄 Skin Corr. 1B - H314, Eye Dam. 1 -	
	H318; 🧇 Acute Tox. 3 - H301, Acute Tox.	
	3 - H311, Acute Tox. 2 - H330; 안 Skin	
	Sens. 1A - H317; 🔅 Aquatic Acute 1 -	
	H400 (M=10), Aquatic Chronic 1 - H410;	
	Skin Sens. 1A; H317: C >= 0,0015 %	
1333-86-4	Carbon black	0,50- 1,00
	EC number: 215-609-9	
	substance with a Community workplace	
	exposure limit.	
26530-20-1	2-octyl-2H-isothiazol-3-one	0,00-0,0015
	EC number: 247-761-7	
	🍄 Skin Corr. 1 - H314, Eye Dam. 1 -	
	H318; 🧇 Acute Tox. 3 - H301, Acute Tox.	
	3 - H311, Acute Tox. 2 - H330; 안 Skin	
	Sens. 1A - H317; 🔅 Aquatic Acute 1 -	
	H400 (M=100), Aquatic Chronic 1 - H410	
	(M=100); EUH071	
	Skin Sens. 1A; H317: C >= 0,0015 %	
	Oral: ATE = 125 mg/kg; Dermal: ATE = 311	
	mg/kg; Inhalative: ATE = 0,27 mg/l	
121-44-8	triethylamine	0,0015- 0,50
	EC number: 204-469-4	
	Record number 01-2119475467-26	
	🏾 🕙 Flam. Liq. 2 - H225; 💎 Skin Corr.	
	1A - H314; 안 Acute Tox. 4 - H302, Acute	
	Tox. 4 - H312, Acute Tox. 4 - H332;	
	STOT SE 3; H335: C >= 1 %	
111-76-2	2-butoxyethanol	1,00- 5,00
	EC number: 203-905-0	




Reviewed on: 27/07/2023 Printing date: 27/07/2023



(continued on page 4)



Reviewed on: 27/07/2023 Printing date: 27/07/2023



# SECTION 08: Exposure controls/personal protection

	ntrol parameters lients with limit valu	es that require monitoring at the workplace:	
57-55-6		ne glycol	
WEL	.,		
	Long-term value	474* 10**	mg/m3
	U	150*	ppm
	*total vapour and	particulates **particulates	
1330-20		•	
WEL	-		
	Short-term value	441	mg/m3
		100	ppm
	Long-term value	220	mg/m3
	-	50	ppm
	Sk; BMGV		
1333-86	-4 Carbon	black	
WEL			
	Short-term value	7	mg/m3
	Long-term value	3.5	mg/m3
121-44-6	3 triethyla	mine	
WEL			
	Short-term value	17	mg/m3
		4	ppm
	Long-term value	8	mg/m3
		2	ppm
	Sk		
111-76-2	2 2-butox	yethanol	
WEL			
			(continued on page 5)



(continued on page 6)

#### 4223602

			(continued of page 4
ę	Short-term value	246	mg/m3
		50	ppm
L	.ong-term value	123	mg/m3
	-	25	ppm
ę	Sk, BMGV		
	ts with biological limit values:		
1330-20-7	xylene		
BMGV			
e	50 mmol/mol creatinine		
7	Medium: urine		
5	Sampling time: post shift		
F	Parameter: methyl hippuric a	acid	
111-76-2	2-butoxyethanol		
BMGV			
2	40 mmol/mol creatinine		
Π	Medium: urine		
5	Sampling time: post shift		
F	Parameter: butoxyacetic acid	d	
<ul> <li>8.2 Expo</li> <li>Persona</li> <li>General p The usua Do not ea Be sure t</li> <li>Respirato</li> <li>Protectio preparatii of diffusio</li> <li>Material o The select varies fro the glove</li> <li>Penetratii The exact observed The deteil</li> </ul>	at or drink while working. o clean skin thoroughly after v ory protection: Suitable respira n of hands: The glove materia on. Due to missing tests no re on/ the chemical mixture. Sele on and the degradation Imperior of gloves ction of the suitable gloves do manufacturer to manufactu material can not be calculate on time of glove material t break through time has to be c.	tres: to be adhered to when handling ch work and before breaks. atory protective device recommend of has to be impermeable and resist ecommendation to the glove material action of the glove material on cons vious gloves es not only depend on the material irer. As the product is a preparation d in advance and has therefore to b e found out by the manufacturer of	ed. tant to the product/ the substance/ the al can be given for the product/ the sideration of the penetration times, rates , but also on further marks of quality an of several substances, the resistance be checked prior to the application. the protective gloves and has to be rformed under practical conditions.
	ection: Safety glasses tection: Protective work clothi		
Body pro     SECTION (      9.1 Informatic     Appearance	09: Physical and che		
Body pro     SECTION (     9.1 Informatic     Appearance     Appearance:		emical properties	
Body pro     SECTION (     9.1 Informatic     Appearance     Appearance:     Form:		emical properties	
Body pro     SECTION (     9.1 Informatic     Appearance     Appearance:		emical properties	



Reviewed on: 27/07/2023 Printing date: 27/07/2023

# PRODUCT : VARIVA AQUA 8770-00 WIPE

	(continued of page 5)
pH-value:	( not applicable)
Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	at 20 °C 23,0000 mbar
Density:	1,0100 g/cm3
Solubility in / Miscibility with	
water:	Not determined.
Viscosity:	
	Not determined.
	Not determined.
9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

- 10.1 Reactivity
- No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials:
- No further relevant information available.
- 10.6 Hazardous decomposition products:
- No dangerous decomposition products known.

## SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:
- 57-55-6 Propylene glycol

Oral, LD50: 2000 mg/kg (rat) Dermal, LD50: 20800 mg/kg (Rabbit)

#### 61847-48-1

4-[[5-[[[4-(aminocarbonyl)phenyl]amino]carbonyl]-2

-methoxyphenyl]azo]-N-(5-chloro-2,4-dimethoxypheny

I)-3-hydroxynaphthalene-2-carboxamide

Pigment Red 188

(continued on page 7)



PRODUCT : VARIVA AQUA 8770-00 WIPE	
Oral, LD50: 2000 - 15000 mg/kg (rat) Dermal, LD50: 2000 - 5000 mg/kg (rat)	page 6)
<b>1330-20-7 xylene</b> Oral, LD50: 4300 mg/kg (rat) Dermal, LD50: 2000 mg/kg (Rabbit)	
108-88-3 toluene Oral, LD50: 5000 mg/kg (rat) Dermal, LD50: 12124 mg/kg (Rabbit) Inhalative, LC50/4h: 5320 mg/l (mouse)	
100-41-4ethylbenzeneOral, LD50: 3500 mg/kg (rat)Dermal, LD50: 17800 mg/kg (Rabbit)	
<b>1333-86-4 Carbon black</b> Oral, LD50: 80000 mg/kg (rat)	
26530-20-12-octyl-2H-isothiazol-3-oneOral, LD50: 125 mg/kg (ATE)Dermal, LD50: 311 mg/kg (ATE)Inhalative, LC50/4h: 0,27 mg/l (ATE)	
121-44-8triethylamineOral, LD50: 460 mg/kg (rat)Dermal, LD50: 570 mg/kg (Rabbit)	
34590-94-8 Dipropylene glycol monomethyl ether Oral, LD50: 5135 mg/kg (rat) Dermal, LD50: >19000 mg/kg (Rabbit)	
111-76-22-butoxyethanolOral, LD50: 1746 mg/kg (rat)Oral, LD50: 1414 mg/kg (guinea Pig)Dermal, LD50: 2000 mg/kg (rat)Dermal, LD50: 1000 mg/kg (Rabbit)Dermal, LD50: 2000 mg/kg (guinea Pig)	
<ul> <li>122-99-6 2-Phenoxyethanol         Oral, LD50: 1260 mg/kg (rat)         Dermal, LD50: 5000 mg/kg (Rabbit)         <i>Primary irritant effect:</i>         Skin corrosion/irritation         No irritant effect.         Serious eye damage/irritation         No irritating effect.         Serious eye damage/irritation         No irritating effect.         <i>Respiratory or skin sensitisation</i>         No sensitising effects known.         <i>Additional toxicological information:</i>         The product is not subject to classification according to the calculation method of the General EU Classific         Guidelines for Preparations as issued in the latest version.         <i>11.2 Information on other hazards Endocrine disrupting properties *</i>         556-67-2 octamethylcyclotetrasiloxane : II; III         </li> </ul>	cation
SECTION 12: Ecological information	

- 12.1 Toxicity
- Aquatic toxicity:

- Aquatic toxicity: No further relevant information available.
   *12.2 Persistence and degradability* No further relevant information available.
   *Behaviour in environmental systems: 12.3 Bioaccumulative potential* No further relevant information available.
   12.4 Mobility in soil
   No further relevant information available.
- No further relevant information available. Additional ecological information:
- .
- General notes:



Reviewed on: 27/07/2023 Printing date: 27/07/2023

## PRODUCT : VARIVA AQUA 8770-00 WIPE

(continued of page 7) Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **12.5 Results of PBT and vPvB assessment** • PBT:

Not applicable.

*vPvB:* Not applicable.

12.6 Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

```
European and swiss waste code

08

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS

AND PRINTING INKS

08 01

wastes from MFSU and removal of paint and varnish

08 01 19

aqueous suspensions containing paint or varnish containing organic

solvents or other hazardous substances
```

• Uncleaned packaging:

```
    Recommendation:
Disposal must be made according to official regulations.
```

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

• 14.1 UN-Number	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
• 14.2 UN proper shipping name	;
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
<ul> <li>14.3 Transport hazard class(es) ADR</li> </ul>	
Class	Void
IMDG	
Class	Void
ΙΑΤΑ	
Class	Void
<ul> <li>14.4 Packing group</li> </ul>	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
• 14.5 Environmental hazards:	

Not applicable.

• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(continued on page 9)



(continued of page 8)

4223602

Reviewed on: 27/07/2023 Printing date: 27/07/2023

## PRODUCT : VARIVA AQUA 8770-00 WIPE

 Transport/Additional information: Not applicable.

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
- None of the ingredients is listed. REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.

#### National regulations:

• Technical instructions (air):

•	Class Share in %	
	III	3,00
	I	4,32
	II	0,14
	ΤT	0,14

· Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- EUH071 Corrosive to the respiratory tract.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

## Department issuing MSDS:

Environment protection department.

Abbreviations and acronyms:
 ADP: Apport ouropéen our la trans

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(continued on page 10)

# Page : 10 / 10 MATERIAL SAFETY DATA SHEET according to 1907/2006/EC, Article 31



٦

4223602

PRODUCT :	VARIVA AQUA 8770-00 WIPE	
		(continued of page 9)
ELINCS: I	European List of Notified Chemical Substances	
CAS: Che	mical Abstracts Service (division of the American Chemical Society)	
LC50: Let	nal concentration, 50 percent	
	nal dose, 50 percent	
	istent. Bioaccumulative and Toxic	
	Persistent and very Bioaccumulative	
<ul> <li>* Data coi</li> </ul>	npared to the previous version altered.	